


RioTinto

Investor Seminar 2024



Cautionary statements

This presentation has been prepared by Rio Tinto plc and Rio Tinto Limited (together with their subsidiaries, “Rio Tinto”). By accessing/attending this presentation you acknowledge that you have read and understood the following statements.

Forward-looking statements

This presentation includes “forward-looking statements” within the meaning of the Private Securities Litigation Reform Act of 1995. All statements other than statements of historical facts included in this report, including, without limitation, those regarding Rio Tinto’s financial position, business strategy, plans and objectives of management for future operations (including development plans and objectives relating to Rio Tinto’s products, production forecasts and reserve and resource positions), are forward-looking statements. The words “intend”, “aim”, “project”, “anticipate”, “estimate”, “plan”, “believes”, “expects”, “may”, “should”, “will”, “target”, “set to” or similar expressions, commonly identify such forward-looking statements.

Such forward-looking statements involve known and unknown risks, uncertainties and other factors which may cause the actual results, performance or achievements of Rio Tinto, or industry results, to be materially different from any future results, performance or achievements expressed or implied by such forward-looking statements, particularly in light of the current economic climate and the significant volatility, uncertainty and disruption arising in connection with the Ukraine conflict. Such forward-looking statements are based on numerous assumptions regarding Rio Tinto’s present and future business strategies and the environment in which Rio Tinto will operate in the future. Among the important factors that could cause Rio Tinto’s actual results, performance or achievements to differ materially from those in the forward-looking statements include, but are not limited to: an inability to live up to Rio Tinto’s values and any resultant damage to its reputation; the impacts of geopolitics on trade and investment; the impacts of climate change and the transition to a low-carbon future; an inability to successfully execute and/or realise value from acquisitions and divestments; the level of new ore resources, including the results of exploration programmes and/or acquisitions; disruption to strategic partnerships that play a material role in delivering growth, production, cash or market positioning; damage to Rio Tinto’s relationships with communities and governments; an inability to attract and retain requisite skilled people; declines in commodity prices and adverse exchange rate movements; an inability to raise sufficient funds for capital investment; inadequate estimates of ore resources and reserves; delays or overruns of large and complex projects; changes in tax regulation; safety incidents or major hazard events; cyber breaches; physical impacts from climate change; the impacts of water scarcity; natural disasters; an inability to successfully manage the closure, reclamation and rehabilitation of sites; the impacts of civil unrest; the impacts of the Ukraine conflict; breaches of Rio Tinto’s policies, standard and procedures, laws or regulations; trade tensions between the world’s major economies; increasing societal and investor expectations, in particular with regard to environmental, social and governance considerations; the impacts of technological advancements; and such other risks and uncertainties identified in Rio Tinto’s most recent Annual Report and accounts in Australia and the United Kingdom and Rio Tinto’s Annual Report on Form 20-F for the fiscal year ended 31 December 2023, which was filed with the United States Securities and Exchange Commission (the “SEC”) on 23 February 2024, or Form 6-Ks furnished to, or filed with, the SEC.

Forward-looking statements should, therefore, be construed in light of such risk factors and undue reliance should not be placed on forward-looking statements. These forward-looking statements speak only as of the date of this report. Rio Tinto expressly disclaims any obligation or undertaking (except as required by applicable law, the UK Listing Rules, the Disclosure Guidance and Transparency Rules of the Financial Conduct Authority and the Listing Rules of the Australian Securities Exchange) to release publicly any updates or revisions to any forward-looking statement contained herein to reflect any change in Rio Tinto’s expectations with regard thereto or any change in events, conditions or circumstances on which any such statement is based.

Nothing in this presentation should be interpreted to mean that future earnings per share of Rio Tinto plc or Rio Tinto Limited will necessarily match or exceed its historical published earnings per share. Past performance cannot be relied on as a guide to future performance.

Disclaimer

Neither this presentation, nor the question and answer session, nor any part thereof, may be recorded, transcribed, distributed, published or reproduced in any form, except as permitted by Rio Tinto. By accessing/ attending this presentation, you agree with the foregoing and, upon request, you will promptly return any records or transcripts at the presentation without retaining any copies.

This presentation contains a number of non-IFRS financial measures. Rio Tinto management considers these to be key financial performance indicators of the business and they are defined and/or reconciled in Rio Tinto’s annual results press release, Annual Report and accounts in Australia and the United Kingdom and/or Rio Tinto’s Annual Report on Form 20-F for the fiscal year ended 31 December 2023, which was filed with the SEC on 23 February 2024, or Form 6-Ks furnished to, or filed with, the SEC.

Reference to consensus figures are not based on Rio Tinto’s own opinions, estimates or forecasts and are compiled and published without comment from, or endorsement or verification by, Rio Tinto. The consensus figures do not necessarily reflect guidance provided from time to time by Rio Tinto where given in relation to equivalent metrics, which to the extent available can be found on the Rio Tinto website.


By referencing consensus figures, Rio Tinto does not imply that it endorses, confirms or expresses a view on the consensus figures. The consensus figures are provided for informational purposes only and are not intended to, nor do they, constitute investment advice or any solicitation to buy, hold or sell securities or other financial instruments. No warranty or representation, either express or implied, is made by Rio Tinto or its affiliates, or their respective directors, officers and employees, in relation to the accuracy, completeness or achievability of the consensus figures and, to the fullest extent permitted by law, no responsibility or liability is accepted by any of those persons in respect of those matters. Rio Tinto assumes no obligation to update, revise or supplement the consensus figures to reflect circumstances existing after the date hereof.

Agenda

Topic	Presenter
Safety share (Rincon)	Guillermo Caló
Overview	Jakob Stausholm (presenter) Peter Cunningham and Nigel Steward (contributing)
Best Operator	Mark Davies
Excel in Development	Mark Davies
Lithium / Minerals update	Sinead Kaufman
Iron Ore update	Simon Trott
Q&A 1	All above
Break	
Culture panel	Isabelle Deschamps / James Martin / Kellie Parker / Simon Trott
Copper update	Katie Jackson
Aluminium update	Jérôme Péresse
Markets and Decarbonisation panel	Bold Baatar / Jérôme Péresse / Mark Davies
Financials	Peter Cunningham
Wrap up	Jakob Stausholm
Q&A 2	All
Close followed by lunch	All

Executing our strategy for long-term value

Jakob Stausholm



The background of the slide is a wide-angle photograph of a desert landscape at dusk or dawn. In the foreground, there is a field of dry, yellowish-brown grass. In the middle ground, a small industrial facility with several buildings and structures is visible. In the background, a range of dark, rugged mountains stretches across the horizon. The sky is filled with soft, colorful clouds in shades of orange, pink, and blue. On the right side of the image, there are several thin, wavy, reddish-brown lines that appear to be part of a stylized graphic or map overlay.

RioTinto

Safety Share

Guillermo Caló

Managing Director, Rincon Lithium project

Rincon, Argentina

Safety remains our highest priority

On 23 January 2024, four colleagues from our Diavik Diamond mine and two airline crew members died in a plane crash near Fort Smith, Northwest Territories Canada.

We are awaiting findings from an investigation into the plane crash.

On 26 October 2024, Morlaye Camara, an employee of one of our contractors at the SimFer Port Project in Morebaya, part of our Simandou operation, was injured, and subsequently passed away from his injuries.

Morlaye Camara was a grinder operator and had worked on the SimFer Port Project for five months.

We are committed to learn from these tragic incidents.



Investor Seminar presenters

The full Executive Committee and our Chief Scientist



Bold Baatar
Chief Commercial Officer



Peter Cunningham
Chief Financial Officer



Mark Davies
Chief Technical Officer



Isabelle Deschamps
Chief Legal, Governance and Corporate Affairs Officer



Katie Jackson
Chief Executive Copper



Sinead Kaufman
Chief Executive Minerals



James Martin
Chief People Officer



Kellie Parker
Chief Executive Australia



Jérôme Péresse
Chief Executive Aluminium



Jakob Stausholm
Chief Executive



Nigel Steward
Chief Scientist




Simon Trott
Chief Executive Iron Ore

RioTinto


01 H Hydrogen																	02 He Helium J E				
03 Li Lithium	04 Be Beryllium															05 B Boron	06 C Graphite	07 N Nitrogen	08 O Oxygen	09 F Fluorine	10 Ne Neon
11 Na Sodium / salt	12 Mg Magnesium															13 Al Aluminium	14 Si Silicon	15 P Phosphorus	16 S Sulphur / Sulphuric Acid	17 Cl Chlorine	18 Ar Argon
19 K (Potash)	20 Ca Calcium	21 Sc Scandium	22 Ti Titanium	23 V Vanadium	24 Cr Chromium	25 Mn Manganese	26 Fe Iron	27 Co Cobalt	28 Ni Nickel	29 Cu Copper	30 Zn Zinc	31 Ga Gallium	32 Ge Germanium	33 As Arsenic	34 Se Selenium	35 Br Bromine	36 Kr Krypton				
37 Rb Rubidium	38 Sr Strontium	39 Y Yttrium	40 Zr Zirconium	41 Nb Niobium	42 Mo Molybdenum	43 Tc Technetium	44 Ru Ruthenium	45 Rh Rhodium	46 Pd Palladium	47 Ag Silver	48 Cd Cadmium	49 In Indium	50 Sn Tin	51 Sb Antimony	52 Te Tellurium	53 I Iodine	54 Xe Xenon				
55 Cs Caesium	56 Ba Barium	57 REE Lanthanides / Rare Earths	72 Hf Hafnium	73 Ta Tantalum	74 W Tungsten	75 Re Rhenium	76 Os Osmium	77 Ir Iridium	78 Pt Platinum	79 Au Gold	80 Hg Mercury	81 Tl Thallium	82 Pb Lead	83 Bi Bismuth	84 Po Polonium	85 At Astatine	86 Rn Radon				
87 Fr Francium	88 Ra Radium	89 Actinoid elements	104 Rf Rutherfordium	105 Db Dubnium	106 Sg Seaborgium	107 Bh Bohrium	108 Hs Hassium	109 Mt Meitnerium	110 Ds Darmstad-tium	111 Rg Roentgenium	112 Cn Copernicium	113 Nh Nihonium	114 Fl Flerovium	115 Mc Moscovium	116 Lv Livermorium	117 Ts Tennessine	118 Og Oganesson				
			57 La Lanthanum	58 Ce Cerium	59 Pr Praseodym'	60 Nd Neodymium	61 Pm Promethium	62 Sm Samarium	63 Eu Europium	64 Gd Gadolinium	65 Tb Terbium	66 Dy Dysprosium	67 Ho Holmium	68 Er Erbium	69 Tm Thulium	70 Yb Ytterbium	71 Lu Lutetium	Rare Earths are extracted from QMM monazite (Madagascar) with upside supply potential from RBM (S Africa)			
			89 Ac Actinium	90 Th Thorium	91 Pa Protactinium	92 U Uranium	93 Np Neptunium	94 Pu Plutonium	95 Am Americium	96 Cm Curium	97 Bk Berkellum	98 Cf Californium	99 Es Einsteinium	100 Fm Fermium	101 Md Mendelevium	102 No Nobelium	103 Lr Lawrencium				

Net zero requires unprecedented changes to energy systems



Cracking the code on energy system transformation remains work in progress but the science is evolving fast


Variations in renewables generation due to climate variations drive the need for energy storage over different time horizons, and zero carbon baseload firming for longer time horizons



A portfolio of technologies will be required to support the renewables build out

Our scientific and economic insights guide our strategy

Pace of the Energy Transition




Other key themes


- Rise of the Global South
- Resource access and ESG requirements
- Processing and supply chains
- Rise of recycling

Traditional demand fundamentals around urbanisation and industrialisation remain strong...

Global GDP per capita evolution¹
Real 2015\$ per person - Market Exchange Rates



Construction investment outlook²
\$bn investment index (1=2023)



...but we are convinced demand will be enhanced materially by the energy transition

Attractive long-term demand fundamentals

Demand growth¹

	2023		2050
Copper	32Mt	⊙	~1.8x
Aluminium	97Mt	⊙	~1.8x
Lithium	1Mt	⊙	>6.0x
Finished steel	1.8Bt	⊙	~1.2x



01

H

Hydrogen

6.941

3

Li

Lithium

[He]

11

Na

Sodium / salt

[Ne]

19

K

Potassium

[Ar]

37

Rb

Rubidium

[Kr]

55

Cs

Caesium

[Xe]

87

Fr

Francium

[Ra]

2

He

Helium

10

Ne

Neon

18

Ar

Argon

36

Kr

Krypton

54

Xe

Xenon

86

Rn

Radon

13

B

Boron

15

P

Phosphorus

17

Cl

Chlorine

19

K

Potassium

21

Sc

Scandium

23

V

Vanadium

25

Mn

Manganese

27

Co

Cobalt

29

Cu

Copper

31

Ga

Gallium

33

As

Arsenic

35

Br

Bromine

37

Rb

Rubidium

39

Y

Yttrium

41

Nb

Niobium

43

Tc

Technetium

45

Rh

Rhodium

47

Ag

Silver

49

In

Indium

51

Sb

Antimony

53

I

Iodine

55

Cs

Caesium

57

La

Lanthanum

59

Pr

Praseodym

61

Pm

Promethium

63

Eu

Europium

65

Tb

Terbium

67

Ho

Holmium

69

Tm

Thulium

71

Lu

Lutetium

73

Y

Yttrium

75

Re

Rhenium

77

Ir

Iridium

79

Au

Gold

81

Tl

Thallium

83

Bi

Bismuth

85

At

Astatine

87

Fr

Francium

89

Ac

Actinium

91

Pa

Protactinium

93

Np

Neptunium

95

Am

Americium

97

Bk

Berkelium

99

Es

Einsteinium

101

Md

Mendelevium

103

Lr

Lawrencium

105

Db

Dubnium

107

Bh

Bohrium

109

Mt

Meitnerium

111

Rg

Roentgenium

113

Nh

Nihonium

115

Mc

Moscovium

117

Ts

Tennessine

119

Uu

Ununennium

121

Uts

Untriseptium

123

Uth

Untriseptium

125

Utt

Untriseptium

127

Utt

Untriseptium

129

Utt

Untriseptium

131

Utt

Untriseptium

133

Utt

Untriseptium

135

Utt

Untriseptium

137

Utt

Untriseptium

139

Utt

Untriseptium

141

Utt

Untriseptium

143

Utt

Untriseptium

145

Utt

Untriseptium

147

Utt

Untriseptium

149

Utt

Untriseptium

151

Utt

Untriseptium

153

Utt

Untriseptium

155

Utt

Untriseptium

157

Utt

Untriseptium

159

Utt

Untriseptium

161

Utt

Untriseptium

163

Utt

Untriseptium

165

Utt

Untriseptium

167

Utt

Untriseptium

169

Utt

Untriseptium

171

Utt

Untriseptium

173

Utt

Untriseptium

175

Utt

Untriseptium

177

Utt

Untriseptium

179

Utt

Untriseptium

181

Utt

Untriseptium

183

Utt

Untriseptium

185

Utt

Untriseptium

187

Utt

Untriseptium

189

Utt

Untriseptium

191

Utt

Untriseptium

193

Utt

Untriseptium

195

Utt

Untriseptium

197

Utt

Untriseptium

199

Utt

Untriseptium

201

Utt

Untriseptium

203

Utt

Untriseptium

205

Utt

Untriseptium

207

Utt

Untriseptium

209

Utt

Untriseptium

211

Utt

Untriseptium

213

Utt

Untriseptium

215

Utt

Untriseptium

217

Utt

Untriseptium

219

Utt

Untriseptium

221

Utt

Untriseptium

223

Utt

Untriseptium

225

Utt

Untriseptium

227

Utt

Untriseptium

229

Utt

Untriseptium

231

Utt

Untriseptium

233

Utt

Untriseptium

235

Utt

Untriseptium

237

Utt

Untriseptium

239

Utt

Untriseptium

241

Utt

Untriseptium

243

Utt

Untriseptium

245

Utt

Untriseptium

247

Utt

Untriseptium

249

Utt

Untriseptium

251

Utt

Untriseptium

253

Utt

Untriseptium

255

Utt

Untriseptium

257

Utt

Untriseptium

259

Utt

Untriseptium

261

Utt

Untriseptium

263

Utt

Untriseptium

265

Utt

Untriseptium

267

Utt

Untriseptium

269

Utt

Untriseptium

271

Utt

Untriseptium

273

Utt

Untriseptium

275

Utt

Untriseptium

277

Utt

Untriseptium

279

Utt

Untriseptium

281

Utt

Untriseptium

283

Utt

Untriseptium

285

Utt

Untriseptium

287

Utt

Untriseptium

289

Utt

Untriseptium

291

Utt

Untriseptium

293

Utt

Untriseptium

295

Utt

Untriseptium

297

Utt

Untriseptium

299

Utt

Untriseptium

301

Utt

Untriseptium

303

Utt

Untriseptium

305

Utt

Untriseptium

307

Utt

Untriseptium

309

Utt

Untriseptium

311

Utt

Untriseptium

313

Utt

Untriseptium

315

Utt

Untriseptium

317

Utt

Untriseptium

319

Utt

Untriseptium

321

Utt

Untriseptium

323

Utt

Untriseptium

325

Utt

Untriseptium

327

Utt

Untriseptium

329

Utt

Untriseptium

331

Utt

Untriseptium

333

Utt

Untriseptium

335

Utt

Untriseptium

337

Utt

Untriseptium

339

Utt

Untriseptium

341

Utt

Untriseptium

343

Utt

Untriseptium

345

Utt

Untriseptium

347

Utt

Untriseptium

349

Utt

Untriseptium

351

Utt

Untriseptium

353

Utt

Untriseptium

355

Utt

Untriseptium

357

Utt

Untriseptium

359

Utt

Untriseptium

361

Utt

Untriseptium

363

Utt

Untriseptium

365

Utt

Untriseptium

367

Utt

Untriseptium

369

Utt

Untriseptium

371

Utt

Untriseptium

373

Utt

Untriseptium

375

Utt

Untriseptium

377

Utt

Untriseptium

379

Utt

Untriseptium

381

Utt

Untriseptium

383

Utt

Untriseptium

385

Utt

Untriseptium

387

Utt

Untriseptium

389

Utt

Untriseptium

391

Utt

Untriseptium

393

Utt

Untriseptium

395

Utt

Untriseptium

397

Utt

Untriseptium

399

Utt

Untriseptium

401

Utt

Untriseptium

403

Utt

Untriseptium

405

Utt

Untriseptium

407

Utt

Untriseptium

409

Utt

Untriseptium

411

Utt

Untriseptium

413

Utt

Untriseptium

415

Utt

Untriseptium

417

Utt

Untriseptium

419

Utt

Untriseptium

421

Utt

Untriseptium

423

Utt

Untriseptium

425

Utt

Untriseptium

427

Utt

Untriseptium

429

Utt

Untriseptium

431

Utt

Untriseptium

433

Utt

Untriseptium

435

Utt

Untriseptium

437

Utt

Untriseptium

439

Utt

Untriseptium

441

Utt

Untriseptium

443

Utt

Untriseptium

445

Utt

Untriseptium

447

Utt

Untriseptium

449

Utt

Untriseptium

451

Utt

Untriseptium

453

Utt

Untriseptium

455

Utt

Untriseptium

457

Utt

Untriseptium

459

Utt

Untriseptium

461

Utt

Untriseptium

463

Utt

Untriseptium

465

Utt

Untriseptium

467

Utt

Untriseptium

469

Utt

Untriseptium

471

Utt

Untriseptium

473

Utt

Untriseptium

475

Utt

Untriseptium

477

Utt

Untriseptium

479

Utt

Untriseptium

481

Utt

Untriseptium

483

Utt

Untriseptium

485

Utt

Untriseptium

487

Utt

Untriseptium

489

Utt

Untriseptium

491

Utt

Untriseptium

493

Utt

Untriseptium

495

Utt

Untriseptium

497

Utt

Untriseptium

499

Utt

Untriseptium

501

Utt

Untriseptium

503

Utt

Untriseptium

505

Utt

Untriseptium

507

Utt

Untriseptium

509

Utt

Untriseptium

511

Utt

Untriseptium

513

Utt

Untriseptium

515

Utt

Untriseptium

517

Utt

Untriseptium

519

Utt

Untriseptium

521

Utt

Untriseptium

523

Utt

Untriseptium

525

Utt

Untriseptium

527

Utt

Untriseptium

529

Utt

Untriseptium

531

Utt

Untriseptium

533

Utt

Untriseptium

535

Utt

Untriseptium

537

Utt

Untriseptium

539

Utt

Untriseptium

541

Utt

Untriseptium

543

Utt

Untriseptium

545

Utt

Untriseptium

547

Utt

Untriseptium

549

Utt

Untriseptium

551

Utt

Untriseptium

553

Utt

Untriseptium

555

Utt

Untriseptium

557

Utt

Untriseptium

559

Utt

Untriseptium

561

Utt

Untriseptium

563

Utt

Untriseptium

565

Utt

Untriseptium

567

Utt

Untriseptium

569

Utt

Untriseptium

571

Utt

Untriseptium

573

Utt

Untriseptium

575

Utt

Untriseptium

577

Utt

Untriseptium

579

Utt

Untriseptium

581

Utt

Untriseptium

583

Utt

Untriseptium

585

Utt

Untriseptium

587

Utt

Untriseptium

589

Utt

Untriseptium

591

Utt

Untriseptium

593

Utt

Untriseptium

595

Utt

Untriseptium

597

Utt

Untriseptium

599

Utt

Untriseptium

601

Utt

Untriseptium

603

Utt

Untriseptium

605

Utt

Untriseptium

607

Utt

Untriseptium

609

Utt

Untriseptium

611

Utt

Untriseptium

613

Utt

Untriseptium

615

Utt

Untriseptium

617

Utt

Untriseptium

619

Utt

Untriseptium

621

Utt

Untriseptium

623

Utt

Untriseptium

625

Utt

Untriseptium

627

Utt

Untriseptium

629

Utt

Untriseptium

631

Utt

Untriseptium

633

Utt

Untriseptium

635

Utt

Untriseptium

637

Utt

Untriseptium

639

Utt

Untriseptium

641

Utt

Untriseptium

643

Utt

Untriseptium

645

Utt

Untriseptium

647

Utt

Untriseptium

649

Utt

Untriseptium

651

Utt

Untriseptium

653

Utt

Untriseptium

655

Utt

Untriseptium

657

Utt

Untriseptium

659

Utt

Untriseptium

661

Utt

Untriseptium

663

Utt

Untriseptium

665

Utt

Untriseptium

667

Utt

Untriseptium

669

Utt

Untriseptium

671

Utt

Untriseptium

673

Utt

Untriseptium

675

Utt

Untriseptium

677

Utt

Untriseptium

679

Utt

Untriseptium

681

Utt

Untriseptium

683

Utt

Untriseptium

685

Utt

Untriseptium

687

Utt

Untriseptium

689

Utt

Untriseptium

691

Utt

Untriseptium

693

Utt

Untriseptium

695

Utt

Untriseptium

697

Utt

Untriseptium

699

Utt

Untriseptium

701

Utt

Untriseptium

703

Utt

Untriseptium

705

Utt

Untriseptium

707

Utt

Untriseptium

709

Utt

Untriseptium

711

Utt

Untriseptium

713

Utt

Untriseptium

715

Utt

Untriseptium

717

Utt

Untriseptium

719

Utt

Untriseptium

721

Utt

Untriseptium

723

Utt

Untriseptium

725

Utt

Untriseptium

727

Utt

Untriseptium

729

Utt

Untriseptium

731

Utt

Untriseptium

733

Utt

Untriseptium

735

Utt

Untriseptium

737

Utt

Untriseptium

739

Utt

Untriseptium

741

Utt

Untriseptium

743

Utt

Untriseptium

745

Utt

Untriseptium

747

Utt

Untriseptium

749

Utt

Untriseptium

751

Utt

Untriseptium

753

Utt

Untriseptium

755

Utt

Untriseptium

757

Utt

Untriseptium

759

Utt

Untriseptium

761

Utt

Untriseptium

763

Utt

Untriseptium

765

Utt

Untriseptium

767

Utt

Untriseptium

769

Utt

Untriseptium

771

Utt

Untriseptium

773

Utt

Untriseptium

775

Utt

Untriseptium

777

Utt

Untriseptium

779

Utt

Untriseptium

781

Utt

Untriseptium

783

Utt

Untriseptium

785

Utt

Untriseptium

787

Utt

Untriseptium

789

Utt

Untriseptium

791

Utt

Untriseptium

793

Utt

Untriseptium

795

Utt

Untriseptium

797

Utt

Untriseptium

799

Utt

Untriseptium

801

Utt

Untriseptium

803

Utt

Untriseptium

805

Utt

Untriseptium

807

Utt

Untriseptium

809

Utt

Untriseptium

811

Utt

Untriseptium

813

Utt

Untriseptium

815

Utt

Untriseptium

817

Utt

Untriseptium

819

Utt

Untriseptium

821

Utt

Untriseptium

823

Utt

Untriseptium

825

Utt

Untriseptium

827

Utt

Untriseptium

829

Utt

Untriseptium

831

Utt

Untriseptium

833

Utt

Untriseptium

835

Utt

Untriseptium

837

Utt

Untriseptium

839

Utt

Untriseptium

841

Utt

Untriseptium

843

Utt

Untriseptium

845

Utt

Untriseptium

847

Utt

Untriseptium

849

Utt

Untriseptium

851

Utt

Untriseptium

853

Utt

Untriseptium

855

Utt

Untriseptium


857

Utt

The image displays a 3D periodic table of elements. The elements are arranged in their standard periodic table layout, with each element represented by a 3D block. The blocks are color-coded: light blue for non-metals, light orange for metalloids, and dark grey for metals. The background is a composite image of a bright blue sky with soft white clouds and a dark, silty landscape with some green grass and small plants in the foreground. The elements are labeled with their atomic number, symbol, and name. The table includes all elements from Hydrogen (1) to Oganesson (118), as well as the Lanthanide and Actinide series at the bottom.

Our deep analysis informs where we operate


Bubbles indicate current industry size in terms of turnover¹




- Energy transition materials
- Market size / industry structure
- Supply security

The growth rate in lithium demand makes it a highly attractive industry

Bubbles indicate current industry size in terms of turnover ¹



Lithium demand / supply
Mtpa LCE ³




Our **growing lithium footprint** gives us significant exposure to four of the largest commodity industries next decade

¹ Market sizes are based on volume-weighted 2024 price estimates. Volumes are based on primary production.
² First battery grade lithium production expected in 2025.
³ Benchmark Mineral Intelligence supply and demand forecast for lithium carbonate equivalent (LCE) as of September 2024.

Development of super sites in Argentina with production costs in the lower quartile of cost curve


Asset footprint in Northwest Argentina



- Tier 1 resource base
- At the bottom of cost curve
- Leading DLE technology
- Impeccable ESG
- Improving investment environment (RIGI⁵)

A decade of ~3% CAGR driven by Oyu Tolgoi, Simandou and our new lithium portfolio

Rio Tinto CuEq¹ production



1. Copper equivalent production based on Rio Tinto share of volumes and long-term consensus pricing
2. 2024F copper equivalent production is a forecast based on mid-point production guidance or top / bottom of the range as noted in our Third Quarter Operations Review
3. Ambition for compound annual growth rate (CAGR) for copper equivalent production from 2024 to 2033.

We remain committed to our four objectives and are intensifying efforts to achieve Best Operator




Growing value and future dividend potential



Staying the course on cultural change

During our long history, we have constantly evolved our portfolio



Finding better ways to provide the materials the world needs

A close-up photograph of a complex industrial machine, likely a centrifuge or a similar processing unit, featuring a large cylindrical component and various pipes and valves.


Strong scientific and economic base

Deep analysis informs our strategy

A photograph showing a large number of white bags, each labeled "PRODUCT OF MONGOLIA", stacked in a pile. In the background, there is a blue building and a tall industrial structure under a clear sky.

Excel in development

Accelerate learning through strong execution of major global growth projects

A photograph of a tall, yellow industrial structure, possibly a conveyor system or a part of a mine's infrastructure, set against a blue sky with scattered clouds.

Best Operator

Consistent roll out of Safe Production System

Significant value-creating growth

RioTinto

Intensifying our efforts to achieve Best Operator

Mark Davies



Intensifying our efforts to achieve Best Operator unlocks value

Kaizen results

Hope Downs, Australia

↓ 39%¹ unscheduled loss
on conveyor breakdowns



IOC, Canada

↓ 27%¹ shut overrun
in concentrator



Oyu Tolgoi, Mongolia

↑ 8.5khrs of
labour capacity
in the concentrator¹



Alma, Canada

Alumina silo
shutdown ↓ from
3 months to 5 days



Safe Production System in 2024

- On track for another ~5Mt uplift in 2024 attributable to SPS at Pilbara Iron Ore in addition to the ~5Mt delivered in 2023
- Maintained the 10% improvement in AIFR achieved in 2023
- 79% of employee satisfaction drivers improved at mature SPS sites²
- 25% fewer equipment failures that stop production at mature SPS sites² within Pilbara Iron Ore

RioTinto

Excel in development

Mark Davies



We are exploring for 8 commodities in 17 countries


90
projects

~\$250m¹
annual spend

- Bauxite
- Copper
- Iron Ore
- Heavy mineral sands
- Potash
- Lithium
- Nickel
- Diamonds
- Brownfield
- Greenfield



Mobilising projects to deliver compelling growth



Advantaged by our in-house capability

Safe and sustainable

Embedded HSE and CSP protocols
Safe and efficient project delivery
Strong foundation for operations
SPS principles applied

Innovation

Decades of in-house R&D capability
Bundoorra Technical Development Centre

- Jadar flowsheet
- Direct Lithium Extraction


Digital tools, AI, big data, remote sensing

Optimised value

Studies to drive value, competitiveness
New projects office in China to leverage end-to-end supply chain



Simandou construction on plan, embedding lessons learned



Rapid delivery

Simple, modular construction, off the shelf solutions

Efficient fabrication, rapid replication

Digital delivery, data science, machine learning

People

Talent development

Transfers between projects:
from Oyu Tolgoi to Simandou, Rincon and Resolution

Globally mobile workforce

ESG

Embedded HSE and CSP

AI potential for species monitoring

Agility to succeed in a complex environment




Excel in development

Competitive advantage through in-house capability

Finding, studying and building more **efficiently**, while continuously embedding lessons

Developing strong **technical and construction talent**



Minerals – optimising operations and unlocking lithium

Sinead Kaufman



Portfolio of market-leading, high-value specialty products integrated across the supply chain

Boron



Western leader in refined borates, supplying ~30% of global demand

Iron Ore Company of Canada



Producer of **high-grade** (>65% Fe¹) and **low-impurity** iron ore

Iron & Titanium



Global leader in TiO₂ (14% market share) with capacity to grow

Diavik



Optimising value of remaining production in partnership with iconic brands

Providing minerals essential to a low-carbon future

Integrated business | Global footprint | Downstream expertise | Processing excellence

First lithium achieved at Rincon with expansion to 60ktpa¹ pending permits and Board approval

Acquired in March 2022



Progress by October 2024




Rapid progress and significant learnings since acquisition of early-stage project

- Delivered first lithium from the 3ktpa pilot plant just 32 months after acquisition
- Learnings related to infrastructure permitting, engineering, logistics and construction to be leveraged for full-scale operation
- Direct Lithium Extraction (DLE) conserves water and reduces waste, with faster production and better consistency
- Work to date has informed Arcadium acquisition and given us confidence in our ability to scale-up operations
- Targeting capacity of 60ktpa¹ subject to Board approval and receipt of permits

Multi-generational asset base with significant production upside

Industry leading resource endowment¹ ...




1. Mineral Resources and Ore Reserves are shown on an attributable basis. See slide 93 for the supporting material in relation to these Mineral Resources and Ore Reserves estimates, including for the basis of conversion to Lithium Carbonate Equivalent (LCE).
2. Arcadium Mineral Resources are reported on this slide **exclusive** of Ore Reserves (contrasting with slide 18 where they are reported **inclusive** of Ore Reserves). Excludes additional Arcadium capacity to be unlocked by Rio Tinto.
3. Rincon Mineral Resources are reported **inclusive** of Ore Reserves.
4. Jadar Mineral Resources are reported **exclusive** of Mineral Reserves.

Arcadium acquisition delivers a Tier 1 asset footprint

2035 lithium cost curve¹
\$/t LCE

Brines Hard-rock Other




Arcadium and Rio Tinto assets expected to generate strong returns through the cycle

- Combined assets represent the **top lithium resource endowment** in the world, well positioned on the cost curve
- Downstream capability with **multiple product offerings** and **flexibility** to meet customer needs
- Acquisition expected to close in mid-2025

Our financial strength and project delivery expertise will enable us to realise Arcadium’s growth post-acquisition

Arcadium¹ and Rio Tinto projects
Nameplate capacity² ktpa LCE



Horizon 1: 2021-2024


Horizon 2: 2025-28

Horizon 3: 2029-2033

Rio Tinto uplift Rio Tinto projects

Development of Argentina super sites with production costs in the lower quartile of cost curve

Asset footprint in Northwest Argentina



Opportunities for economies of scale and regional approach

- Our strong balance sheet permits acceleration of Fenix 1b
- Superior DLE capability and advancement in reinjection technology to unlock additional capacity
- Optimise supply chain and logistics for key raw materials
- Improving investment environment supported by RIGI policies⁵

Lithium portfolio: future global optionality

Jadar



Spatial plan reinstated by the Government of Serbia
Progressing **Environmental Impact Assessments**
Ongoing public consultations and community engagement

Exploration




Encouraging **initial drilling results** at the Galinée pegmatite project in Quebec
Pursuing **attractive brine opportunities** in Chile
Multiple pegmatites identified from **early reconnaissance** in Rwanda

Our Minerals business

Optimising value from our Minerals operations

Growth options from long-life, Tier 1, low-cost lithium assets



2025 production guidance: TiO_2 1.0 to 1.2Mt | IOC 9.7 to 11.4Mt | Borates ~0.5Mt

Iron Ore – advancing our cornerstone business

Simon Trott



Our priorities are unchanged

We are committed to being the ‘**Most Valued**’ resource business with strong progress in 2024¹



Best Operator

Equal highest employee satisfaction score², and progress on Everyday Respect

>50% reduction in Potentially Fatal Incidents 2018-2023

5Mt uplift from Safe Production System



Impeccable ESG

Electric Smelting Furnace pilot plant with BHP and BlueScope

80MW solar farm partnership with Ngarluma

Biolron™ pilot plant / research and development facility



Excel in development

Western Range first ore expected H1 2025

Rhodes Ridge PFS on track for 2025

Gudai-Darri approaching sustainable 50Mtpa run-rate



Social licence

Resource co-design and development



Coastal desalination plant on track for 2026 start-up

>20% increase in Traditional Owner spend year-on-year³

Values-based performance culture





Our global operations produce an unrivalled product suite



IOC
➔ 23Mt¹
(Rio Tinto share 14 Mt)

Simandou
➔ 60Mt²
(Rio Tinto share 27Mt)



Pilbara
➔ 332Mt⁷
(Rio Tinto share 281Mt)


The long-term outlook for our global iron ore portfolio is robust

Urban population growth is the engine to support further steel demand growth

⬆️ ~36% growth to 2040¹

Global urbanisation remains significant, matching historical levels


Growth in global urban population, 2020 to 2040
Billion and percentage of total



⬆️ ~0.2Bt steel output to 2040

As much steel will be made in the next 20 years as the last 30 years²

Crude steel production by region²
Billion tonnes



Chinese blast furnaces ~13yrs old vs 50-70yrs in developed regions⁵

CO₂ abatement driving DRI growth


Current scrap recycling weaker than industry expectations

Iron ore supply pressures remain

>40% of supply to be replaced³

Advancing projects remains challenging across the industry

Approved tonnes for major producers³
Percent of total production




Approvals timeframes for major projects have increased by 12-18 months since 2018⁴

1. From 4.4bn global urban population to 6.0bn (Source: Oxford Economics)
2. Average of forecasts from Wood Mackenzie, CRU and MineSpans. Historical data: World Steel Association and Rio Tinto
3. Production to be replaced in the next 10-years from major producers Rio Tinto (Pilbara), BHP (Pilbara), FMG, HanRoy and Vale (Source: Rio Tinto analysis of public information)
4. Increase in Western Australian approvals timeframes for major mine projects since 2018 (Source: Rio Tinto)
5. Source OECD

Product strategy review underway

Enhancing utilisation of our leading Pilbara resource base

Conceptual iron ore pit representation




Short and long-term production uplift

Development flexibility and cost benefits

Pilbara mines & infrastructure strength support a consistent product

Products blended from multiple sources¹




High volumes, low variability

Port infrastructure in place for ore blending

Our product mix will remain fundamental to key markets

Essential contributor to customers' burden mix²

Products technical profile



Base load for Chinese steel mills

Collaboration with customers and partners

We are driving system wide improvement to achieve Best Operator


SPS is fully deployed in the Pilbara¹

2022
2 x site trials


2023
80% coverage¹

2024
100% coverage¹

Strong operational performance is offsetting headwinds, providing a platform for system level improvement



Moving focus to **system wide improvement** to optimise our integrated supply chain



Key enablers


Organisation design & workflows

Operational routines

Digital applications


Our replacement projects and Rhodes Ridge are advancing

Replacement mine capital intensity outlook¹
\$/t installed capacity




Rhodes Ridge pre-feasibility study due in 2025

Excel in development
40+ Mtpa Phase 1
Replicating Gudai-Darri plant




Social licence
Traditional Owner engagement
informing co-design



Shipments guidance unchanged in 2025

Shipments guidance and mid-term capacity² (Mt, 100% basis)



Guidance and product mix

- 2025 shipments guidance 323 – 338Mt
- SP10 65 – 70Mt in 2024
- Year-to-date SP10 price realisation >93% of 62% index

Productivity and mine capacity depletion

- Safe Production System: 5Mt uplift in each of 2023, 2024 & 2025
- Depletion: 19Mt in 2025, 5 – 10Mt in 2026 & 2027

Outlook

- 345 – 360Mtpa mid-term capacity
- ~\$20/t mid-term³ unit costs




Our Iron Ore business

Progress towards
Best Operator

Effective
partnerships

Values-based
performance culture



2025 shipments guidance: 323 to 338Mt

Q&A

Break



Panel 1: Culture panel

Isabelle Deschamps
James Martin
Kellie Parker
Simon Trott



Copper – targeting 1Mtpa this decade

Katie Jackson



Strong copper market fundamentals


Robust demand growth

- Demand for semis to nearly double by 2050
- Renewable electricity generation and vehicle electrification to drive ~50% of demand growth
- Material increase in primary supply required
- Supplemented by rising scrap supply

Persistent supply-side challenges

- Challenging geographies, declining grades, impurities, and shift to underground
- Social license, environmental footprint (water scarcity and tailings), permitting and regulatory constraints
- Rising capital intensity and operating costs

2050 primary supply gap estimated at 25Mt



Well positioned portfolio of core assets and growth projects

Geographically diversified asset base



Targeting 1Mtpa of copper this decade

- Attractive ore bodies underpin sustainable and profitable growth
- Record annual copper production expected in 2025²
- Oyu Tolgoi drives medium-term production
- Addressing near-term geotechnical challenges at Kennecott. Options to extend mine life and expand underground
- Progressing projects: Winu, Nuton™ industrial scale deployment, Resolution and Nuevo Cobre
- Industry-leading partners and capabilities across the value chain

Best Operator focus: >50% Oyu Tolgoi production growth in 2025

Underground infrastructure to complete next year

- Panel 0 operational excellence, cave performing above expectation
- Conveyor to Surface operational to meet 2025 plan levels
- Concentrator Conversion and Primary Crusher 2 completion in 2025
- Focus shifts to development of next cave panels

Catalyst for national development and future growth

- 97% Mongolian employees, \$18.4bn total in country spend¹
- >85% water recycling, investing in water security and biodiversity
- Delivering impactful investment in South Gobi region
- Focused on outstanding shareholder issues to secure mid- and long-term development pathways



Panel 0 Material Handling System complete



First ore on Conveyor to Surface belt in October 2024



Investing in Khanbogd and Umnugovi regional development



Partnering with Mongolia's Forestry Department to plant 100 million trees by 2030

Kennecott reset to address near-term mine constraints – long-term optionality remains

Near-term measures

- Access to primary ore face reduced by worsening geotechnical conditions in 2024
- Revised mine plan for 2025/26
- Reducing fixed costs and optimising capital expenditure
- Supplementing smelter feed with third-party concentrate
- Underground to add over 30ktpa by 2027¹

Long-term conviction

- Attractive Total Ore Reserves² at a fully permitted brownfield site
- Exploring underground potential beyond current Mineral Resources and Ore Reserves³
- 1 of only 2 operating copper smelters in the US
- Among the lowest carbon footprints of any US copper mine, 80% lower emissions since 2018



Bingham Canyon open pit



North Rim Skarns
underground ramping up



Smelter rebuilt in 2023



99.99% pure copper cathode

¹ See supporting references for the 30ktpa Kennecott underground production target on slide 94

² Kennecott Total Ore Reserves: 834Mt @0.38% Cu; see supporting references for the Kennecott Ore Reserves categorisation and reporting on slide 94

³ Kennecott underground Mineral Resources 26Mt @2.62% Cu and Ore Reserves: 5Mt @2.22% Cu; see supporting references for the Kennecott underground Mineral Resources and Ore Reserves categorisation and reporting on slide 94

Advancing Winu: new joint venture with Sumitomo Metal Mining

Attractive asset profile

Low-risk, long-life, copper-gold deposit
Highly prospective for expansion

High calibre joint venture partner

SMM to acquire 30% equity share for \$399m including \$204m deferred conditional consideration¹

Derisks investment and delivers technical, processing and commercial synergies

Broader strategic partnership

2025 focus

Finalisation of definitive agreement H1 2025

Deepening relations with Nyangumarta and Martu Traditional Owners to deliver mutual benefit

Environmental Review Document submission for initial processing capacity up to 10Mtpa, expected H2 2025



Strong growth pipeline of global projects with a range of partners

Resolution, USA



World-class deposit, 1.9Bt of Mineral Resources at 1.52% Cu¹, potential to meet up to 25% of US demand

2025 focus on Final Environmental Impact Statement and actions necessary for the land exchange

Advancing partnership discussions with Native American Tribes

Winu, Australia



Attractive starter operation with potential for growth

Stable jurisdiction, co-located near Pilbara iron ore assets in copper-rich Paterson Province

Ongoing consultations with Traditional Owner Groups to advance agreements

Nuton™ technology



First copper from industrial scale deployment at Johnson Camp Mine expected in 2025

Demonstration 40x scale of prior pilot. Leach pad construction underway

Second industrial scale deployment for potential implementation in 2025

Nuevo Cobre, Chile

Good progress in exploration joint venture with Codelco in prospective Atacama region

Ongoing geological field programs, environmental studies and community engagement

La Granja, Peru

Joint venture with First Quantum Minerals (FQM) working to unlock one of the largest undeveloped copper deposits in the world

FQM progressing community engagement and engineering study




Our Copper business

Maximising value
from our existing
assets

Delivering profitable
growth

Investing in quality
partnerships



2025 production guidance: 780 to 850kt

Aluminium – stabilised, growing and decarbonising

Jérôme Péresse



Aluminium is a key differentiator for Rio Tinto



We have a **global footprint** of world-class, primarily low-carbon, aluminium assets



We have **strong relationships** with governments and communities where we operate




We have stabilised our assets and have a clear pathway to **deliver greater returns**

- Journey to Best Operator
- Repowering of Pacific Operations
- Robust technology foundation
- Access into most attractive market with a strong commercial position in North America



Our smelters are competitively positioned on the cost curve, with repowering providing an opportunity to further improve



Atlantic: Sustaining our advantage in renewable energy

We own our hydro power assets in Canada, sustained by long-standing water rights

Quebec Operations

- 6 powerhouses and 3 reservoirs, with a total installed capacity of 3GW
- Serves >90% of our regional energy needs

Kitimat: Kemano hydro installed capacity of 1GW which is above smelter load

ISAL: energy supplied entirely by hydro power

Pacific: Repowering and moving down the cost curve

- Secured 2.2GW of renewable energy for Boyne Island smelter through PPAs, with the remaining requirements and associated firming in progress
- Concluded a new 20-year renewable electricity supply agreement for Tiwai Point smelter in New Zealand

We have secured the long-term future of our Tiwai Point smelter in New Zealand


- ☑ Concluded 20-year renewable energy supply agreement, securing long term supply and derisking with competitive renewable energy
- ✂ With the repowering contract, there has been a structural change in the competitiveness of NZAS

Completed acquisition of Sumitomo Chemical's 20.64% interest in NZAS, it is now wholly owned; ~70kt full-year production increase

Strengthens relationship with Ngāi Tahu, local community and New Zealand government

Best Operator practices and innovation allow us to continuously improve our flex-power capabilities

2024 smelter cost curve¹



¹ Source CRU.



We have stabilised our operations and are delivering strong performance in 2024

2024 production guidance

3.2 to 3.4Mt Aluminium

On track to deliver guidance

53 to 56Mt Bauxite

Expect to exceed top end of guidance on back of record production, especially at Amrun

7.0 to 7.3Mt Alumina

Expect to achieve upper end of guidance

Alumina force majeure lifted, with return to 95% gas supply in Gladstone. Refineries back to full capacity by year-end

Markets



Strong underlying fundamentals despite short term uncertainties



Benefiting from China's import and geographical diversification needs



Alumina markets expected to remain tight in the short-run

Our continued focus on Best Operator objective is delivering

SPS case study: Amrun mine¹

Reducing scheduled losses

⬇️ 229hr p.a.

Increasing plant feed rate²

⬆️ 9%

Successful materials handling Kaizen has improved feed stability

- Procedure developed to address feed instabilities
- Automation enhancements were implemented at crude ore circuit
- Shear beam added to the apron feeder to improve feed stability

Feed instability



Shear beam installed




Feed stability re-established




Record Q2 at Amrun


Before



After




Now operating above nameplate
Production, Mt per quarter (dry)




We are growing in aluminium

Consolidated bauxite, alumina and aluminium production to achieve ~3% CuEq CAGR from 2022 to 2025²



Low-carbon business underpins our growth



Matalco: growth in North America with primary and recycled value-added products through 50% joint venture with Giampaolo Group

7 casthouses with 640kt billet and 160kt slab annual effective capacity¹



AP60: expanding production line, delivering some of the most efficient and lowest emission aluminium

Project on budget and on track for first hot metal in 2026

Expanding our low-carbon footprint in Europe

Greenfield primary aluminium opportunity in Kokkola, Finland

Overview

First project of its kind in continental Europe for over 30 years

First deployment of AP60 outside Quebec

Partnership

Partnership with Vargas, Mitsubishi and local partners

Assessing sourcing of low-carbon competitive electricity from Fortum. Other partners include TESI

Feasibility study and environmental impact assessment to follow

Strategy

We intend to be a significant investor and commercial off-taker

Strengthens our global leadership in low-carbon aluminium



AP60 simulation




Our Aluminium business

Clear vision to be the **leader** in **sustainable** and **low-carbon** western aluminium production

Backed by our competitive advantages including our **superior product offering**

Focused **strategic priorities** anchored in our four Group objectives



2025 production guidance: Bauxite 57 to 59Mt | Alumina 7.4 to 7.8Mt | Aluminium 3.25 to 3.45Mt




Panel 2: Markets and Decarbonisation


Bold Baatar
Mark Davies
Jérôme Péresse

A new era in decarbonisation commitments

2023 emissions¹
% by source



Annual abatement commitments
Mt CO₂e equity basis



1. Emissions baseline updated to reflect increased equity at BSL, NZAS



We have been making large scale investments for many years, positioning Rio Tinto for the future

Repowering our assets to transition to a sustainable future



2.2GW PPAs for Boyne
Bringing online new renewables equivalent to 10% of Queensland's power demand



Pilbara renewables
Progressing solar projects with Ngarluma (80MW) and Yindjibarndi (75MW)



NZAS future secured
20 year low-carbon arrangements supporting local grid and new wind development



140MW Khangela Emoyeni wind farm
Second major PPA for RBM in South Africa

Developing industry breakthroughs



Battery electric truck pilots
Rio Tinto – BHP industry collaboration and SPIC battery swap trial



Renewable diesel production
Pongamia seed biofuel farming trial in Australia



Évolys Québec biocarbon
Partnership with Aymium for renewable metallurgical biocarbon



Hydrogen calcination pilot
Construction is underway at Yarwun for this world first technology

Partnering to invest in value chain decarbonisation



Blast furnace basic oxygen furnace
Commissioned low-carbon sintering demonstration plant with Shougang



Investing in low-carbon technology
Supplying high-grade direct reduction iron ore pellets to GravitHy from 2028




Biolion™ R&D facility
\$143m pilot in low carbon steelmaking technology in Western Australia




Shipping carbon intensity
Achieved 40% reduction across fleet, ahead of company and industry targets

Delivering projects to achieve our Scope 1, 2 and 3 objectives



Roadmap to net zero

Group decarbonisation pathway¹
(Mt CO₂e equity basis, 2018 baseline)



Pathway to 2030 targets underpinned by repowering of electricity supply

Net zero requires scale up and economic deployment of technology breakthroughs

Nature-based solutions play a role in addressing climate change and nature loss, offset use limited to 10% of our 2018 baseline⁴

1. Totals shown represent 2018 baseline emissions, reflecting increased equity at BSL, NZAS
2. Baseline emissions extended post-2040 using assumed asset life extensions
3. Represents net emissions reduction vs 2018 baseline.
4. We anticipate the use of high-integrity offsets (including compliance credits) towards our 2030 target (up to 10% of 2018 baseline).




Decarbonisation

Record year of commitments - >3Mt CO₂e in 2024; >110Mt CO₂e over 20 years¹

On track for our 2030 operational emissions targets – targeting 50% net reduction

Advancing a strong R&D pipeline towards our net zero goal



1. Calculation is based on full rate of decarbonisation over 20 years

Compelling investment drives diversification

Peter Cunningham

Strategy execution delivering strong cash flow

Enhancing cash flows through:

Best Operator

Profitable growth

**Disciplined
decarbonisation**



Underpinned by:

Consistent capital allocation

Strong balance sheet



Deepening our Best Operator journey

Strong progress at primary cash generation assets

Pilbara

- +5Mtpa production in 2023, 2024 and 2025


Bauxite

- Amrun operating above nameplate
- +9% increase in plant feed

Aluminium

- +5pp structural uplift in ROCE by 2030


Average EBITDA (2019-2023)



Best Operator at Oyu Tolgoi supporting ramp-up of underground

- On track for 500ktpa average copper production¹

Oyu Tolgoi copper in concentrate (LHS) and head grade (RHS)¹



Opportunities to unlock value

IOC - focus on stability

- Clear pathway to 23Mtpa concentrator capacity

RTIT - unlock of products

- Improving ROCE from 6% to 15% by 2030 with volume enhancement and by-product optimisation


Kennecott - long-term conviction

- Addressing near-term geotechnical challenges
- Attractive orebody, underground optionality (>30ktpa by 2027¹)

1. See supporting references for the 500ktpa Oyu Tolgoi production target and production profiles and the 30ktpa Kennecott underground production target on slide 94

Profitable growth at Oyu Tolgoi delivering diversification


Growing in CuEq¹ terms in the near term
With existing asset improvements and organic growth




1. Copper equivalent production based on long-term consensus pricing
2. 2024F copper equivalent production is a forecast based on mid-point production guidance or top / bottom of the range
3. Ambition for compound annual growth rate (CAGR) for copper equivalent production from 2024 to 2028 from existing portfolio and projects already in execution
4. This statement is an indicative target and is not intended to be a profit forecast.
5. Average EBITDA margin over past 5 years
6. Based on long-run consensus pricing
7. Other includes Molybdenum, Silver, Borates, Diamonds, Salt, TiO₂

Diversifying portfolio
Total % of EBITDA **excluding lithium**


2019 – 2023 Average



Mid-term⁶




Enhanced cash flow in 2028⁴




Lithium options underpin growth for the next decade

Growing in CuEq¹ terms for the next decade
With inorganic lithium a key driver



Diversifying portfolio
% of EBITDA including lithium



1. Copper equivalent production based on long-term consensus pricing
2. 2024F copper equivalent production is a forecast based on mid-point production guidance or top / bottom of the range.
3. Ambition for compound annual growth rate (CAGR) for copper equivalent production from 2024 to 2033
4. Other includes Molybdenum, Silver, Borates, Diamonds, Salt, TiO₂
5. Based on long-run consensus pricing


Continuous optimisation for carbon reduction and shareholder value

	2021	2024
 Target	50% by 2030	50% by 2030
 Capex	\$7.5bn	\$5bn-\$6bn (lower end) Seeking further opportunities to lower capex intensity
 Returns	WACC ¹ for Rio Tinto	12-15% IRR ² Portfolio allocation Carbon price evolution
 Delivery		>30 partnerships




Consistent and disciplined capital allocation


Enhanced investment in replacement capacity
\$bn



Growth capital
\$bn




Balance sheet remains strong




Robust financial health as investments support future cash flows

Attractive operating cash flows and margin
\$bn (RHS), % (LHS)



Continuing to deliver attractive shareholder returns³
Payout ratio (%)



RioTinto

Executing our strategy for long-term value

Jakob Stausholm






Executing our strategy

Unlocking the full potential of our assets through
Best Operator

Shaping our portfolio of
the materials the world needs

A decade of ~3% CAGR
driven by Oyu Tolgoi,
Simandou and our new
lithium portfolio



Q&A

Guidance

Production guidance

	2023 Actual	2024 Guidance	2025 Guidance
Pilbara iron ore shipments¹ (100% basis)	331.8Mt	323 – 338Mt	323 – 338Mt
Copper			
Mined Copper (consolidated basis) ²	620kt	660 – 720kt ³	780 – 850kt ⁴
Refined Copper	175kt	230 – 260kt	
Aluminium			
Bauxite	54.6Mt	53 – 56Mt ⁵	57 – 59Mt
Alumina	7.5Mt	7.0 – 7.3Mt ⁷	7.4 – 7.8Mt
Aluminium	3.3Mt	3.2 – 3.4Mt	3.25 – 3.45Mt
Minerals			
TiO ₂	1.1Mt	0.9 – 1.1Mt	1.0 – 1.2Mt
IOC pellets and concentrate ⁶	9.7 Mt	9.1 – 9.6Mt	9.7 – 11.4Mt
B ₂ O ₃	0.5Mt	~0.5Mt	~0.5Mt

¹ Pilbara shipments guidance remains subject to weather, market conditions and management of cultural heritage

² Includes Oyu Tolgoi on a 100% consolidated basis and continues to reflect our 30% share of Escondida

³ Around the bottom end

⁴ From Q1 2025, we will report copper production and guidance as one metric, in order to simplify reporting and align with peer practices. Further details on slide 90

⁵ Expected to exceed the top end of guidance. | ⁶ Iron Ore Company of Canada | ⁷ Expect to achieve upper end guidance.

Group level financial guidance

	2024F	2025F	Mid-term (per year)
Capex			
Total Group	~\$9.5bn	~\$11bn	~\$10-11bn
Growth capital	~\$3.0bn	~\$3.0bn	
Sustaining capital	~\$4.0bn	~\$4.0bn	
<i>Including Pilbara sustaining¹</i>	~\$1.8bn	~\$2.0bn	
Replacement capital	~\$2.5bn	~\$3-4bn	
Decarbonisation capital	~\$0.3bn	~\$0.3bn	
Effective tax rate	~30%	~30%	~30%
Shareholder returns	Total returns of 40 – 60% of underlying earnings through the cycle		

Updated methodology to report copper production and guidance

Current approach: separate reporting for mined and refined copper

	Production share	2020	2021	2022	2023	2024 Q3 YTD
Mined Copper						
<u>Kennecott</u>						
Production of metal in copper concentrates	100%	140	159	179	152	92
<u>Escondida</u>						
Mill production (metal in concentrates)	30%	287	245	258	265	236
Recoverable copper in ore stacked for leaching	30%	51	35	41	35	18
<u>Oyu Tolgoi</u>						
Production of metal in concentrates	100%	150	163	129	168	149
Total Mined Copper (kt)		627	602	607	620	495
Refined Copper						
<u>Kennecott</u>						
Production of refined metal	100%	85	143	148	109	138
<u>Escondida</u>						
Refined production from leach plants	30%	70	59	61	67	42
Total Refined Copper (kt)		155	202	209	175	180


- Single combined metric for simplified reporting
- Alignment with peer practices
- New approach will be adopted for 2025 production guidance and included in reporting from our Q1 2025 quarterly operations report onwards
- 2025 production guidance of 780 – 850kt total copper production provided using new approach

New approach: a single metric for copper production

	Production share	2020	2021	2022	2023	2024 Q3 YTD
<u>Kennecott</u>						
Production of refined metal	100%	85	143	148	109	138
<u>Escondida</u>						
Mill production (metal in concentrates)	30%	287	245	258	265	236
Refined production from leach plants	30%	70	59	61	67	42
<u>Oyu Tolgoi</u>						
Production of metal in concentrates	100%	150	163	129	168	149
Total Copper Production		592	610	596	608	565

Simandou high-grade iron ore project advancing at pace

Project milestones



¹See supporting references for the Simandou production target on slide 94

Supporting statements

Arcadium - Mineral Resources and Mineral Reserves on slide 18 and 37

Arcadium Lithium's lithium Mineral Resources for Olaroz and Cauchari referenced on slides 18 and 37 are a LCE estimate based on:

1. the 16.87 Mt LCE lithium brine Mineral Resources as reported in the Allkem Olaroz NI43-101 Technical Reporting dated 27 October 2023, which comprise 8.33 Mt LCE of Measured Resources, 2.66 Mt LCE of Indicated Resources and 5.88 Mt LCE of Inferred Resources; and
2. the 5.95 Mt LCE lithium brine Mineral Resources as reported in the Allkem Cauchari NI43-101 Technical Reporting dated 27 October 2023, which comprise 1.85 Mt LCE of Measured Resources, 2.60 Mt LCE of Indicated Resources and 1.50 Mt LCE of Inferred Resources.

Arcadium Lithium's lithium Mineral Resources for Sal de Vida and Fenix referenced on slide 18 and 37 are an LCE estimate based on:

1. the 7.17 Mt LCE lithium brine Mineral Resources as reported in the Allkem Sal de Vida NI43-101 Technical Reporting dated 27 October 2023, which comprise 3.52 Mt LCE of Measured Resources, 3.00 Mt LCE of Indicated Resources and 0.65 Mt LCE of Inferred Resources; and
2. the 11.8 Mt LCE lithium brine Mineral Resources as reported in Livent Salar de Hombre Muerto (Fenix) Feasibility Study amended 14 November 2023, which comprise 2.78 Mt LCE of Measured Resources, 4.29 Mt LCE of Indicated Resources and 4.75 Mt LCE of Inferred Resources.

In reporting Arcadium Lithium's lithium brine Mineral Resources as LCE, lithium metal is converted to LCE by multiplying by a factor of 5.323.

Mineral Resources are reported **inclusive** of Mineral Reserves.

Supporting statements (cont.)

Arcadium - Mineral Resources and Mineral Reserves on slide 34

Arcadium Lithium's lithium Mineral Resources referenced on slide 34 are a LCE estimate based on:

1. the 85.9 Mt of hard-rock lithium Mineral Resources as reported in Arcadium Lithium's Form 10-K annual report filed with the US Securities Exchange Commission (SEC) for the year ended 31 December 2023 (Arcadium Lithium's 2023 Form 10-K), which comprise 0.1 Mt of Measured Resources @ 1.00% Li₂O, 25.2 Mt of Indicated Resources @ 1.23% Li₂O and 60.6 Mt of Inferred Resources @ 1.30% Li₂O; and
2. the 6.4 Mt of lithium brine Mineral Resources (expressed as lithium metal) as reported in Arcadium Lithium's 2023 Form 10-K annual report, which comprise 2.8 Mt of Measured Resources, 1.2 Mt of Indicated Resources and 2.4 Mt of Inferred Resources.

Arcadium Lithium's lithium Mineral Reserves referenced on slide 34 are an LCE estimate based on:

1. the 62.1 Mt of hard-rock lithium Mineral Reserves at 1.28% Li₂O as reported in Arcadium Lithium's 2023 Form 10-K, which comprise 5.4 Mt of Proven Reserves @ 1.38% Li₂O and 56.7 Mt of Probable Reserves @ 1.27% Li₂O; and
2. the 1.4 Mt of lithium brine Mineral Reserves (expressed as lithium metal) @ 658 mg/L as reported in Arcadium Lithium's 2023 Form 10-K annual report, which comprise 0.3 Mt of Proven Reserves and 1.1 Mt of Probable Reserves.

These Mineral Resource and Mineral Reserve estimates have been prepared in accordance with the requirements of subpart 1300 of Regulation S-K ("Subpart 1300"), issued by the SEC.

In reporting Arcadium Lithium's hard-rock lithium Mineral Resources and Mineral Reserves as LCE, Li₂O is converted to LCE by multiplying by 2.473. In reporting Arcadium Lithium's lithium brine Mineral Resources and Mineral Reserves as LCE, lithium metal is converted to LCE by multiplying by a factor of 5.323.

Mineral Resources are reported **exclusive** of Mineral Reserves.

Mineral Reserves as reported under Regulation S-K are the equivalent term to Ore Reserves under the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves, 2012 edition (JORC Code).

Jadar – Mineral Resources

Rio Tinto's Jadar lithium Mineral Resources referenced on slide 34 are an LCE estimate based on the Mineral Resources at Rio Tinto's Jadar project in Serbia as reported in Rio Tinto's 2023 Annual Report released to the Australian Securities Exchange (ASX) on 21 February 2024 and available at riotinto.com.

The Jadar Mineral Resources comprise 85 Mt of Indicated Resources @ 1.76% Li₂O and 58 Mt of Inferred Resources @ 1.87% Li₂O for a total of 144 Mt @ 1.80% Li₂O. The Competent Persons responsible for the information in the 2023 Annual Report that relates to the Jadar project's Mineral Resources are Ivana Misailovic and Dusan Tanaskovic, both of whom are members of the European Federation of Geologists.

These Mineral Resources have been reported in accordance with the JORC Code and the Listing Rules of the ASX. Rio Tinto confirms that it is not aware of any new information or data that materially affects the Jadar Mineral Resources estimate reported in the 2023 Annual Report, that all material assumptions and technical parameters underpinning the estimate continue to apply and have not materially changed, and that the form and context in which the Competent Persons' findings are presented have not been materially modified.

In reporting the Jadar Mineral Resource as LCE, Li₂O is converted to LCE by multiplying by 2.473.

Mineral Resources are reported **exclusive** of Ore Reserves.

Rincon Mineral Resources and Ore Reserves

Rio Tinto's Rincon lithium Mineral Resources and Ore Reserves referenced on slide 34 are LCE estimates based on the Mineral Resources and Ore Reserves at Rio Tinto's Rincon lithium brine project in Argentina as reported to the ASX on 4 December 2024 and available at riotinto.com.

The Rincon Mineral Resources comprise 748 Mm³ brine volume @ 394 mg/L of Measured Resources for 0.29 Mt lithium metal, 3,419 Mm³ brine volume @ 432 mg/L Indicated Resources for 1.48 Mt of lithium metal and 1,148 Mm³ brine volume @ 374 mg/L Inferred Resources for 0.43 Mt lithium metal.

The Rincon Ore Reserves comprise 1,340 Mm³ brine volume @ 350 mg/L of Probable Reserves for 0.39 Mt lithium metal.

The Competent Persons responsible for the information in the release that relates to the Rincon Mineral Resources and Ore Reserves are Megan Zivic and Michael Rosko, both of whom are Registered Members of the Society for Mining, Metallurgy & Exploration (SME-RM). The Competent Person responsible for the metallurgical perspective of the Ore Reserves is Brendan Foster who is a Member of the Australasian Institute of Mining and Metallurgy (MAusIMM).

These Mineral Resources and Ore Reserves have been reported in accordance with the JORC Code and the Listing Rules of the ASX. Rio Tinto confirms that it is not aware of any new information or data that materially affects the Rincon Mineral Resources and Ore Reserves estimates, that all material assumptions and technical parameters underpinning the estimates continue to apply and have not materially changed, and that the form and context in which the Competent Persons' findings are presented have not been materially modified.

In reporting Rincon's lithium brine Mineral Resources and Ore Reserves as LCE, lithium metal is converted to LCE by multiplying by a factor of 5.323.

Mineral Resources are reported **inclusive** of Ore Reserves.

Supporting statements (cont.)

Oyu Tolgoi - Production Targets

The 500ktpa copper production target (stated as recoverable metal) and associated production profiles for the Oyu Tolgoi underground and open pit mines for the years 2028 to 2036 referenced in slides 54 and 77 were previously reported in a release to the ASX dated 11 July 2023 "Investor site visit to Oyu Tolgoi copper mine, Mongolia". All material assumptions underpinning that production target and those production profiles continue to apply and have not materially changed.

Kennecott – Production Targets

The 30ktpa copper production target (stated as recoverable metal) for the Kennecott underground referenced in slides 56 and 77 was previously reported in a release to the ASX dated 27 September 2022 "Rio Tinto to start underground mining at Kennecott copper operations". All material assumptions underpinning that production target continue to apply and have not materially changed.

Simandou – Production Targets

The estimated annualised capacity of approximately 60 million dry tonnes per annum (27 million dry tonnes Rio Tinto Share) iron ore for the Simandou life of mine schedule referenced in slide 91 was previously reported in a release to the ASX dated 6 December 2023 titled "Investor Seminar 2023". Rio Tinto confirms that all material assumptions underpinning that production target continue to apply and have not materially changed.

Iron Ore Company of Canada – Ore Reserves

The grades referenced on slide 32 for the Iron Ore Company of Canada are based on the Ore Reserves as reported in accordance with the JORC Code and the ASX Listing Rules in Rio Tinto's 2023 Annual Report released to the ASX on 21 February 2024 (Rio Tinto's 2023 Annual Report) and available at riotinto.com

The Iron Ore Company of Canada Ore Reserves comprise 149 Mt of Proved Ore Reserves @ 65.0% Fe and 2.8% SiO₂ and 275 Mt of Probable Ore Reserves @ 65.0% Fe and 2.8% SiO₂ for a total of 423 Mt @ 65.0% Fe and 2.8% SiO₂. The Competent Persons responsible for the information in the 2023 Annual Report that relates to Iron Ore Company of Canada Ore Reserves are Rodney Williams and Stephane Roche whom are both Members of the Australasian Institute of Mining and Metallurgy (MAusIMM).

Rio Tinto confirms that it is not aware of any new information or data that materially affects the information included in the 2023 Annual Report, that all material assumptions and technical parameters underpinning the estimates in the 2023 Annual Report continue to apply and have not materially changed, and that the form and context in which the Competent Persons' findings are presented have not been materially modified. Mineral Resources are reported **exclusive** of Ore Reserves. Mineral Resources and Ore Reserves are reported on a 100% basis.

Copper Portfolio - Mineral Resources and Ore Reserves

The Kennecott and Resolution Mineral Resources and Ore Reserves referenced on slides 54, 56 and 58 are based on the Mineral Resources and Ore Reserves as reported in accordance with the JORC Code and the ASX Listing Rules in Rio Tinto's 2023 Annual Report released to the ASX on 21 February 2024 (Rio Tinto's 2023 Annual Report) and available at riotinto.com.

The Kennecott open pit Mineral Resources comprise 38 Mt of Measured Mineral Resources @ 0.47% Cu and 0.15 g/t Au, 22 Mt of Indicated Mineral Resources @ 0.39% Cu and 0.16 g/t Au, and 12 Mt Inferred Mineral Resources @ 0.26% Cu and 0.20 g/t Au for a total of 72 Mt @ 0.41% Cu and 0.16 g/t Au.

The Kennecott underground Mineral Resources comprise 0.2 Mt of Measured Mineral Resources @ 2.52% Cu and 1.27 g/t Au, 12 Mt of Indicated Mineral Resources @ 2.75% Cu and 1.17 g/t Au, and 14 Mt Inferred Mineral Resources @ 2.51% Cu and 0.91 g/t Au for a total of 26 Mt @ 2.62% Cu and 1.03 g/t Au.

The Kennecott open pit Ore Reserves comprise 470 Mt of Proved Ore Reserves @ 0.37% Cu and 0.18 g/t Au and 360 Mt of Probable Ore Reserves @ 0.36% Cu and 0.18 g/t Au for a total of 829 Mt @ 0.37% Cu and 0.18 g/t Au.

The Kennecott underground Ore Reserves comprise 5 Mt of Probable Ore Reserves @ 2.22% Cu and 1.39 g/t Au.

The Competent Persons responsible for the information in the 2023 Annual Report that relates to Kennecott Mineral Resources are Ryan Hayes, Ana Chiquini and Pancho Rodriguez, whom are all MAusIMM. The Competent Persons responsible for the information in the 2023 Annual Report that relates to Kennecott Ore Reserves are Charles McArthur and Brady Pett whom are all MAusIMM.

The Resolution Mineral Resources comprise 724 Mt of Indicated Mineral Resources @ 1.89% Cu and 1,134 Mt Inferred Mineral Resources @ 1.28% Cu for a total of 1,859 Mt Mineral Resources @ 1.52% Cu. The Competent Persons responsible for the information in the 2023 Annual Report that relates to Resolution Mineral Resources are Hamish Martin, Joanna Marshall and Adam Schwarz, whom are all MAusIM.

Rio Tinto confirms that it is not aware of any new information or data that materially affects the information included in the 2023 Annual Report, that all material assumptions and technical parameters underpinning the estimates in the 2023 Annual Report continue to apply and have not materially changed, and that the form and context in which the Competent Persons' findings are presented have not been materially modified. Mineral Resources are reported **exclusive** of Ore Reserves. Mineral Resources and Ore Reserves are reported on a 100% basis.

Common acronyms

\$	United States dollar	DLE	Direct lithium extraction	LAES	Liquid air energy storage	RTIT	Rio Tinto Iron Titanium
AIFR	All Injury Frequency Rate	DR	Direct Reduction	LCE	Lithium Carbonate Equivalent	RTIO	Rio Tinto Iron Ore
AI	Artificial Intelligence	DRI	Direct Reduction Iron	LHS	Left hand side	RTZ	Rio Tinto-Zinc Corporation
Al₂O₃	Aluminium oxide	EBITDA	Earnings Before Interest, Taxes, Depreciation and Amortisation	Mt	Million tonnes	SiO₂	Silica dioxide
ASEAN	Association of Southeast Asian Nations	ESG	Environmental, Social, and Governance	Mtpa	Million tonnes per annum	SPIC	China's State Power Investment Corporation
ASX	Australian Securities Exchange	F	Forecast	MW	Megawatt	SPS	Safe Production System
AUD	Australian dollar	FQM	First Quantum Minerals	NZAS	New Zealand Aluminium Smelters Limited	SQM	Sociedad Química y Minera de Chile
B₂O₃	Boric oxide	FX	Foreign Exchange	OECD	Organisation for Economic Co-operation and Development	T	Tonne
BESS	Battery energy storage system	GDP	Gross Domestic Product	P.a.	Per annum	tCO₂ e	Tonne of carbon dioxide equivalent
BF	Blast furnace	GHG	Greenhouse gas	PGM	Platinum-group metals	TiO₂	Titanium dioxide
Bn	Billion	GW	Gigawatt	PPA	Power Purchasing Agreement	TSV	Transshipment vessel
BNEF	BloombergNEF	H1	Half year (first half)	PV	Photovoltaic	TWh	Terawatt hour
BOO	Build, Own, Operate	H2	Half year (second half)	QAL	Queensland Alumina Limited	UN	United Nations
BSL	Boyne Smelter Limited	HBI	Hot briquetted iron	R&D	Research and Development	US	United States
Bt	Billion tonnes	Hr	Hour	RBM	Richards Bay Minerals	USA	United States America
CAGR	Compound annual growth rate	HSE	Health, Safety and Enviroment	RE	Renewable Energy	USD	United States dollar
CCS	Carbon Capture and Storage	ICE	Internal combustion engine	REC	Renewable Energy Certificate	VPPA	Virtual power purchase agreement
CLA	Cape Lambert Port A	IEA	International Energy Agency	REE	Rare earth elements	WACC	Weighted average cost of capital
CO₂	Carbon dioxide	IOC	Iron Ore Company of Canada	RHS	Right hand side	WCS	Winning Consortium Simandou
CO₂e	Carbon dioxide equivalent	IRR	Internal rate of return	RIGI	Regulation of the Incentive Regime for Large Investments	YoY	Year on Year
CRA	Conzinc Rio Tinto of Australia Limited	k	thousand	ROCE	Return on capital employed	Yrs	Years
CSP	Communities and Social Performance	km	kilometre	RoW	Rest of world	YTD	Year to date
CuEq	Copper equivalent	Ktpa	Kilo tonnes per annum	RTA	Rio Tinto Aluminium		

Definitions

Calculated abatement carbon price

The levelised marginal cost of abatement at a zero carbon price

Calculation:
Discounted sum of all abatement costs over time at a zero carbon price / Discounted sum of all abated emissions over time

Discounted at the hurdle rate RT uses for all investment decisions

RioTinto