

## References







## References

- AARC (2008). Pisolite Hills Project Initial Advice Statement. AustralAsian Resource Consultants.
- Abrahams, H., Mulvaney, M., Glasco, D. and Bugg, A. (1995). An Assessment of the Conservation and Natural Heritage Significance of Cape York Peninsula. CYPLUS. Department of Primary Industries, Queensland Government.
- Abreu-Grobois, A. and Plotkin, P. (2008). *Lepidochelys olivacea*. In: IUCN 2008. 2008 IUCN Red List of Threatened Species. Available online at [www.iucnredlist.org](http://www.iucnredlist.org) (accessed 11/07/2012).
- AGNWC (2009). Water in the South-East Gulf region of the Gulf of Carpentaria Drainage Division: A report to the Australian Government from the CSIRO Northern Australia Sustainable Yields Project. Australian Government National Water Commission.
- Allen, G.R. (1982). A Field Guide to Inland Fishes of Western Australia. University of Western Australia Press, Perth.
- Allen, G.R. (1989). Freshwater Fishes of Australia. Brookvale. T.F.H. Publications, New South Wales.
- Allen, G.R. (1991). Field Guide to the Freshwater Fishes of New Guinea. 268. Christensen Research Institute, Madang.
- Allen, G.R. (1997). Marine Fishes of Tropical Australia and South-East Asia - A field guide for anglers and divers. Third Revised Edition. Western Australian Museum, Perth.
- AMSA (2007). The National Plan to Combat Pollution of the Sea by Oil and other Noxious and Hazardous Substances. Australian Maritime Safety Authority. Available online at: AMSA (2012a). "Strait Facts"/Risk Assessment. Australian Maritime Safety Authority. Available online at: [www.amsa.gov.au/marine\\_environment\\_protection/torres\\_strait/risk.asp](http://www.amsa.gov.au/marine_environment_protection/torres_strait/risk.asp) (accessed 8/03/2012).
- AMSA (2012a). "Strait Facts"/Risk Assessment. Australian Maritime Safety Authority. Available online at: [www.amsa.gov.au/marine\\_environment\\_protection/torres\\_strait/risk.asp](http://www.amsa.gov.au/marine_environment_protection/torres_strait/risk.asp) (accessed 8/03/2012).
- AMSA (2012b). Interim Technical Guideline for the Preparation of Marine Pollution Contingency Plans for Marine and Coastal Facilities. Australian Maritime Safety Authority. Available online at: [http://www.amsa.gov.au/Marine\\_Environment\\_Protection/National\\_plan/Supporting\\_Documents/documents/Contingency\\_Planning\\_Guidelines.pdf](http://www.amsa.gov.au/Marine_Environment_Protection/National_plan/Supporting_Documents/documents/Contingency_Planning_Guidelines.pdf) (accessed 07/09/2012).
- AMSA (2012c). Oil spills in the Australian marine environment: environmental consequences and response technologies. Australian Maritime Safety Authority. Available online at: [www.amsa.gov.au/marine\\_environment\\_protection/national\\_plan/Contingency\\_Plans\\_and\\_Management/Research\\_Development\\_and\\_Technology/paper33.pdf](http://www.amsa.gov.au/marine_environment_protection/national_plan/Contingency_Plans_and_Management/Research_Development_and_Technology/paper33.pdf) (accessed 09/03/2012).
- ANCOLD (2000). Guidelines on Selection of Acceptable Flood Capacity for Dams. Australian National Committee on Large Dams.
- Anderson, P.K. (1981). The behaviour of the dugong (*Dugong dugon*) in relation to conservation and management. *Bulletin of Marine Science* 31: 640-647.
- Anderson, P.K. and Barclay, R.M.R. (1995). Acoustic signals of solitary dugongs: physical characteristics and behavioural correlates. *Journal of Mammalogy* 76: 1226-1237.
- Angel, B.M., Jarolimek, C.V., King, J.J., Hales, L.T., Simpson, S.L., Jung, R.F. and Apte, S.C. (2012). Metal Concentrations in the Waters and Sediments of Port Curtis, Queensland. CSIRO Wealth from Oceans Flagship Technical Report.



ANZECC/ARMCANZ (2000). Australian and New Zealand Guidelines for Fresh and Marine Water Quality. National Water Quality Strategy. Australian and New Zealand Environment Conservation Council and Agricultural Resource Management Council of Australia and New Zealand, Canberra.

Asia Pacific Applied Science Associates (2005). Draft Environmental Impact Statement / Environmental Review and Management Programme for the Proposed Gorgon Development. Technical Appendix B3 Modelling of Spills and Discharges.

Atlas of Living Australia (2012). *Pristis microdon*, *Pristis clavata*, and *Pristis zijsron* in Australia's Species Database, Atlas of Living Australia sharing biodiversity knowledge. Available online at: <http://bie.ala.org.au/species/> (accessed 09/06/2012).

Aumann, T. and Baker-Gabb, D. (1991). The Ecology and Status of the Red Goshawk in Northern Australia. RAOU Report 75. Royal Australasian Ornithologists Union, Melbourne.

Australian Government (2013). State Party Report on the State of Conservation of the Great Barrier Reef World Heritage Area (Australia). Australian Government.

Australian National Botanic Gardens (2004). *Myrmecodia beccarii*. Available online at: <Http://www.anbg.gov.au/gnp/interns-2004/myrmecodia-beccarii.html> (accessed 07/03/2012).

Australian Museum (2012). Animal Species: Estuarine Crocodile. nature, culture, discover. Available online at: <http://australianmuseum.net.au/Estuarine-Crocodile> (accessed 16/08/2012).

AWG (2012). Abbot Point Cumulative Impact Assessment & Reef-wide Shipping Study, 24 April 2012. Abbot Point Working Group, BHP Billiton.

Bailey, H., Senior, B., Simmons, D., Rusin, J., Picken, G. and Thompson, P.M. (2010). Assessing underwater noise levels during pile-driving at an offshore windfarm and its potential effects on marine mammals. *Marine Pollution Bulletin* 60: 888-897.

Baker, R. and Sheppard, R. (2006). Fisheries Resources of Albatross Bay, Gulf of Carpentaria. Department of Primary Industries and Fisheries, Queensland Government.

Baldwin, R., Hughes, G.R. and Prince, R.I.T. (2003). 'Loggerhead turtles in the Indian Ocean'. In: A.B. Bolten and B.E. Witherington (eds.) *Loggerhead Sea Turtles*, pp. 218-232. Smithsonian Books, Washington.

Ballou, T.G., Dodge, R.E., Hess, S.C., Knap, A.H. and Sleeter, T.D. (1987). Effects of dispersed and undispersed crude oil on mangroves, seagrasses and corals. Report for the American Petroleum Institute. Available online at: <http://www.aoml.noaa.gov/general/lib/CREWS/Cleo/PuertoRico/prpdfs/ballou-effects.pdf> (accessed 19/03/2012).

Bamford, M., Watkins, D., Bancroft, W., Tischler, G. and Wahl, J. (2008). Migratory Shorebirds of the East Asian - Australasian Flyway; Population Estimates and Internationally Important Sites. Wetlands International – Oceania, Canberra.

Bannister, J.L., Kemper, C.M., and Warneke, R.M. (1996). *The Action Plan for Australian Cetaceans*. Australian Nature Conservation Agency, Canberra. Available online at: <http://www.environment.gov.au/coasts/publications/cetaceans-action-plan/pubs/whaleplan.pdf> (accessed 19/03/2013).

Barradave Sportsfishing Services (2011). Strategic Plan for Recreational Sportfishing Tourism Development in the Weipa/Western Cape Area.

- Barrett, G., Silcocks, A., Barry, S., Cunningham, R. and Poulter, R. (2003). The New Atlas of Australian Birds. Royal Australasian Ornithologists Union.
- Bayliss, P. (1986). Factors affecting aerial surveys of marine fauna, and their relationship to a census of dugongs in the coastal waters of northern Australia. *Australian Wildlife Research* 13: 27-37.
- Bazzaz, F.A. (1996). Plants in Changing Environments. Linking Physiological, Population, and Community Ecology. Cambridge University Press, Cambridge.
- Beale, C.M. (2007). The behavioural ecology of disturbance responses. *International Journal of Comparative Psychology* 20: 111-120.
- Bell, I. (2003). Draft Weipa Coast Turtle Foraging, Nesting and Threats Survey 2003. Environmental Protection Agency, Queensland Government.
- Bell, I. (2004). Weipa Coast Turtle Foraging, Nesting and Threats Survey 2003.
- Benson, S.R., Kisokau, K.M., Ambio, L., Rei, V., Dutton, P.H. and Parker, D. (2007). Beach use, interesting movement, and migration of leatherback turtles, *Dermochelys coriacea*, nesting on the north coast of Papua New Guinea. *Chelonian Conservation and Biology* 6(1): 7-14.
- Bessen Consulting Services (2005). Land & Sea Management Strategy for Torres Strait. Torres Strait Reference Group.
- Best, P.B. (1960). Further information on Bryde's whale (*Balaenoptera edeni* Anderson) from Saldanha Bay, South Africa. *Norsk Hvalfangst-Tidende* 49: 201-215.
- Best, P.B. (1977). Two allopatric forms of Bryde's whale off South Africa. *Report of the International Whaling Commission* Special Issue 1: 10-38.
- Best, P.B., Butterworth, D.S. and Rickett, L.H. (1984). An assessment cruise for the South African inshore stock of Bryde's Whales (*Balaenoptera edeni*). *Report of the International Whaling Commission* 34: 403-423.
- Biddle, T.M., and Limpus, C.J. (2011). Marine wildlife stranding and mortality database annual reports 2005-2010. Marine Turtles. *Conservation Technical and Data Report* 2010(1): 1-124.
- Birds Australia (2009). Shorebirds of Australia: residents, migrants and vagrants. Birds Australia Shorebirds 2020. Available online at: <http://www.shorebirds.org.au/about-shorebirds/species-list/> (accessed 03/01/2012).
- Bjorndal, K.A. (1980). Nutrition and grazing behavior of the green turtle, *Chelonia mydas*. *Marine Biology* 56: 147-154.
- Bjorndal, K.A., Carr, A., Meylan, A.B. and Mortimer, J.A. (1985). Reproductive biology of the hawksbill turtle *Eretmochelys imbricata* at Tortuguero, Costa Rica, with notes on the ecology of the species in the Caribbean. *Biological Conservation* 34: 353-368.
- Bjorndal, K.A. (1996). 'Foraging ecology and nutrition of sea turtles'. In: P.L. Lutz and J.A. Musick (eds.) *The Biology of Sea Turtles*, pp. 199-232. CRC Press, New York.
- Blaber, S.J.M., Salini, J.P. and Brewer, D.T. (1990). A checklist of the fishes of Albatross Bay and the Embley Estuary, north-eastern Gulf of Carpentaria. CSIRO Marine Laboratories, Hobart.
- Blackman, J.G., Perry, T.W., Ford, G.I., Craven, S.A., Gardiner, S.J. and De Lai, R.J. (1999). Characteristics of Important wetlands of Queensland. Environment Protection Agency, Queensland Government.

Blandford and Associates. (1994). Environmental Impact Statement for the Skardon Kaolin Project. Prepared by Connell Wagner, Brisbane.

BoM (2009). SILO Drill Data. Bureau of Meteorology. Available online at: [www.longpaddock.qld.gov.au/silo/](http://www.longpaddock.qld.gov.au/silo/) (accessed 14/09/2012).

Boughton, W.C. (1993). A Hydrograph-Based Model for Estimating the Water Yield of Ungauged Catchments. Hydrology and Water Resources Symposium, Newcastle, Australia, June - July 1993.

Bowen, H.J.M. (1979). Environmental Chemistry of the Elements. Academic Press.

Braithwaite, R.W. and Begg, R.J. (1995). 'Northern quoll *Dasyurus hallucatus* Gould, 1842'. **In:** Strahan, R., ed. *The Mammals of Australia: National Photographic Index of Australian Wildlife*, pp.65-66. Reed Books, Sydney.

Brand-Gardner, S.J., Lanyon, J.M. and Limpus, C.J. (1999). Diet selection by immature green turtles, *Chelonia mydas*, in subtropical Moreton Bay, South-East Queensland. *Australian Journal of Zoology*. 47 (2):181-191.

Brizga, S.O., (2000). Burnett Basin WAMP Proposed Environmental Flow Performance Measures. Department of Natural Resources, Queensland Government.

Brodie, J.E. and Mitchell, A.W. (2005). Nutrients in Australian tropical rivers: changes with agricultural development and implications for receiving environments. *Marine and Freshwater Research* 56: 279–302.

Bulthuis, D.A. (1983). Effects of in situ light reduction on density and growth of the seagrass *Heterozostera tasmanica* (Martens ex Aschers.) den Hartog in Western Port, Victoria, Australia. *Journal of Experimental Marine Biology and Ecology* 67: 91–103.

Burbidge, A.A. (1987). 'The management of crocodiles in Western Australia'. **In:** G.J.W. Webb, S.C. Manolis and P.J. Whitehead (eds.) *Wildlife Management: Crocodiles and Alligators*, pp. 125-127. Surrey Beatty & Sons, Sydney.

Burnett, S. (1997). Colonising cane toads cause population declines in native predators: reliable anecdotal information and management implications. *Pacific Conservation Biology* 3: 65-72.

Cape Alumina (2012a). ASX Release - Cape Alumina completes Pre-Feasibility Study for Bauxite Hills. Cape Alumina Limited. Available online at: <http://www.infomine.com/index/pr/PB264836.PDF> (accessed 14/12/2012).

Cape Alumina (2012b). Bauxite Hills Mine and Port Project. Referral of Proposed Action. Cape Alumina Pty. Ltd.

Cape Alumina (2012c). Pistolite Hills Mine and Port Project, Initial Advice Statement. Cape Alumina Pty. Ltd.

Carlson, T.J., and Weiland, M.A. (2007). Dynamic pile driving and pile driving underwater impulsive sound. Battelle–Pacific Northwest Division, Richland, Washington, USA.

Carr, A. (1975). The Ascension Island Green Turtle Colony. *Copeia* 3: 547-555.

Carter, A.B., McKenna, S.A. and Rasheed, M.A. (2012). Port of Weipa Long-term seagrass monitoring 2000 -2011. Department of Employment, Economic Development and Innovation Publication, Fisheries North, Cairns. 32p.

- Casper, B.M. (2006). The hearing abilities of elasmobranch fishes. Graduate School Theses and Dissertations. Available online at: <http://scholarcommons.usf.edu/etd/2476> (accessed 19/02/2013).
- CEDA (2011). Underwater Sound In Relation to Dredging. Central Dredging Association Position Paper, 7 November 2011.
- CHAH (2008). Australian Plant Census. Council Heads of Australasian Herbaria. Available online at: <http://www.anbg.gov.au/cgi-bin/apclist> (accessed 07/03/2012).
- Chalco Australia Pty Ltd (2007). Aurukun Bauxite Project, Referral of Proposed Action. Chalco Australia Pty Ltd.
- Chartrand, K.M. and Rasheed, M.A. (2009). Port of Weipa Long term seagrass monitoring, 2000 - 2008. Department of Primary Industries and Fisheries Publication PR09-4201, pp.26.
- Chatto, R. (1998). 'A preliminary overview of the locations of marine turtle nesting in the Northern Territory'. In: R. Kennett, A. Webb, G. Duff, M. Guinea and G. Hill (eds.) *Proceedings of a Workshop held at the Northern Territory University*, 3-4 June 1997. Centres for Indigenous Natural Culture Resource Management/Tropical Wetland Management. Darwin, Northern Territory University.
- Chilvers, B.L., Corkeron, P.J. and Puotinen, M.L. (2003). Influence of trawling on the behaviour and spatial distribution of Indo-Pacific bottlenose dolphins (*Tursiops aduncus*) in Moreton Bay, Australia. *Canadian Journal of Zoology* 81(12): 1947-1955.
- Chilvers, B.L., Lawler, I.R., Macknight, F., Marsh, H., Noad, M. and Paterson, R. (2005). Moreton Bay, Queensland, Australia: an example of the co-existence of significant marine mammal populations and large-scale coastal development. *Biological Conservation* 122: 559-571.
- Christiansen, F., Lusseau, D., Stensland, E. and Berggren, P. (2010). Effects of tourist boats on the behaviour of Indo-Pacific bottlenose dolphins off the south coast of Zanzibar. *Endangered Species Research* 11(1): 91-99.
- Churchill, S.K. (1998). Australian Bats. Reed New Holland, Sydney.
- Cliff, G. and Wilson, G. (1994). Natal Sharks Board's Guide to Sharks and other Marine Animals. Natal Sharks Board.
- Cochrane, G. (2006a). A Cultural Heritage Survey of the 2005 South Embley Ore Body Drilling Programme. Internal unpublished report prepared for Rio Tinto Aluminium.
- Cochrane, G. (2006b). An archaeological survey of the Comalco 2006 East Weipa orebody drilling areas. Internal unpublished report prepared for Rio Tinto Aluminium.
- Cockcroft, V.G. (1989). Biology of Indo-Pacific humpback dolphin (*Sousa plumbea*) off Natal, South Africa. *Abstracts of the Biennial Conference on the Biology of Marine Mammals* 8: 13.
- Coles, R., McKenzie, L., Campbell, S., Mellors, J., Waycott, M., and Goggin, L. (2004). Seagrasses in Queensland Waters: Current State of Knowledge. CRC Reef Research Centre Ltd.
- Coles, R., Britton, A., Boonman, A. and Clague, C. (2012). Discovery of a highly unusual alternating call frequency pattern used by the echolocating emballonurid bat *saccolaimus saccolaimus* during foraging. Oral presentation at the 15th Australasian Bat Society Conference, Melbourne, Australia, 11-13 April 2012.
- Collier, C.J. (2006). Characterising responses of the seagrass *Posidonia sinuosa* to changes in light availability. PhD Thesis. Edith Cowan University, Perth. 229p.

- Commonwealth of Australia (2008). National Biofouling Management Guidance for Non-trading Vessels. Australian Government, Canberra. Available online at: [http://www.marinepests.gov.au/\\_data/assets/pdf\\_file/0011/1120133/Biofouling\\_guidance\\_NTV.pdf](http://www.marinepests.gov.au/_data/assets/pdf_file/0011/1120133/Biofouling_guidance_NTV.pdf) (accessed 14/09/2012).
- Commonwealth of Australia (2012). Australian National Greenhouse Accounts – Quarterly Update of Australia's National greenhouse Gas Inventory, December Quarter 2011. Available online at: <http://www.climatechange.gov.au/~media/climate-change/emissions/2011-12/NationalGreenhouseGasInventory-QuarterlyReport-December2011.pdf> (accessed 14/09/2012).
- Commonwealth of Australia (2013). State Party Report On the State of Conservation of the Great Barrier Reef World Heritage Area (AUSTRALIA). Available online at: <http://www.environment.gov.au/heritage/publications/gbr/gbr-state-party-report-feb13.html> (accessed 11/02/2013).
- Compagno, L.J.V. (1984). Sharks of the World: An annotated and illustrated catalogue of shark species known to date. Volume 4, pp. 506–509. Food and Agricultural Organization of the United Nations, Rome.
- Compagno, L.J.V., Ebert, D.A. and Smale, M.J. (1989). Guide to the sharks and rays of Southern Africa. Struik Publications, Cape Town. 160p.
- Compagno, L.J.V. and Cook, S.F. (1995). The exploitation and conservation of freshwater elasmobranchs: status of taxa and prospects for the future. The biology of Freshwater elasmobranchs. *The Journal of Aquaculture and Aquatic Science* 7:62-90.
- Compagno, L.J.V. and Cook, S.F. (2005). 'Great-tooth or freshwater sawfish *Pristis microdon*', In: S.L. Fowler, M. Camhi, G.H. Burgess, G.M. Cailliet, S.V. Fordham, R.D. Cavanagh, C.A. Simpfendorfer and J.A. Musick (eds) *Sharks, rays and chimaeras: the status of the chondrichthyan fishes*. IUCN SSC, Cambridge, UK and Gland, Switzerland.
- Compagno, L.J.V., White, W.T. and Last, P.R. (2008). '*Glyphis garricki* sp. nov., a new species of river shark (Characharhiniformes: Carcharhinidae) from Northern Australia and Papua New Guinea, with a redescription of *Glyphis glyphis* (Müller and Henle, 1839).
- Constantine, R., Brunton, D.H. and Dennis, T. (2004). Dolphin-watching tour boats change bottlenose dolphin (*Tursiops truncatus*) behaviour. *Biological Conservation* 117(3): 299-307.
- Cook, S., Compagno, L. and Oettinger, M. (1995). Status of the largetooth sawfish *Pristis perotteti* (Muller and Henle, 1841). Shark News Newsletter of the IUCN Shark Specialist Group 4:5.
- Cook, S.F., Compagno, L.J.V. and Last, P.R. (2006). *Pristis clavata*: 2007 IUCN Red List of threatened Species. Available online at: [www.iucnredlist.org](http://www.iucnredlist.org) (accessed 25/09/2008).
- Cooper, P.H. and Jenkins, R.W.G. (1993). 'Natural history of the Crocodylia'. In: C. J. Glasby, G.J.B. Ross and P.L. Beesley (eds) *Fauna of Australia. Volume 2A, Amphibia and Reptilia*, pp. 337-349. Australian Government Publishing Service, Canberra.
- Corben (2010). Acoustic identification of *Saccolaimus*. Oral presentation at the 14th Australasian Bat Society conference, Darwin, Northern Territory, 12 – 14 July 2010.
- Corkeron, P.J., Morissette, N.M., Porter, L. and Marsh, H. (1997). Distribution and status of Humpback Dolphins, *Sousa chinensis*, in Australian waters. *Asian Marine Biology* 14: 49-59.



Cosser, P. (ed.) (1997). Nutrients in Marine and Estuarine Environments. *Australia: State of the Environment Technical Paper Series (Estuaries and the Sea)*. Department of the Environment, Australian Government, Canberra.

Cox and Barron (1998). Great Artesian Basin Resource Study, November 1998. Great Artesian Basin Consultative Council.

CPA (2012). Industries within the Great Barrier Reef catchment and measures to address declining water quality. Cairns Port Authority. Available online at:  
[http://www.pc.gov.au/data/assets/pdf\\_file/0010/17587/sub043.pdf](http://www.pc.gov.au/data/assets/pdf_file/0010/17587/sub043.pdf) (accessed 29/08/2012).

CRC for Catchment Hydrology (undated). Rainfall Runoff Library, v1.0.5. Available online at:  
[www.toolkit.net.au/rrl](http://www.toolkit.net.au/rrl) (accessed 28/09/2012).

CRC Reef Research Centre (2002). Dwarf Minke Whales in the Great Barrier Reef. Current State of Knowledge. CRC Reef Research Centre.

CRC Reef Research Centre (2004). Introduced species in tropical waters: current state of knowledge, Cooperative Research Centre for the Great Barrier Reef World Heritage Area, Townsville. Available online at: [www.reef.crc.org.au/publications/brochures/CRC\\_Reef\\_introd\\_species\\_web.pdf](http://www.reef.crc.org.au/publications/brochures/CRC_Reef_introd_species_web.pdf) (accessed 28/09/2012).

CSIRO (2009). 'Water in the Western Cape region'. **In:** CSIRO (2009). *Water in the Gulf of Carpentaria Drainage Division*, pp. 417-479. A report to the Australian Government from the CSIRO Northern Australia Sustainable Yields Project, CSIRO Water for a Healthy Country Flagship, Australia.

Csorba, G., Bumrungsri, S., Francis, C., Helgen, Bates, P., Heaney, L., Balet, D. and Thomson, B. (2008). *Saccolaimus saccolaimus*. **In:** IUCN 2012. *IUCN Red List of Threatened Species. Version 2012.1*. Available online at [www.iucnredlist.org](http://www.iucnredlist.org) (accessed 11/07/2012).

CYSF (2011). Cape York Sea Turtle Project. Cape York Sustainable Futures. Available online at:  
<http://capeyorkseaturtles.blogspot.com.au/> (accessed 16/03/2013).

Czechura, G. and Hobson, R. (2000). The Red Goshawk *Erythrotriorchis radiatus* in northern Queensland: status and distribution. Report to Queensland Parks and Wildlife Service.

Czechura, G.V., Hobson, R.G., Stewart, D.A (2009). Observations on the biology of the Red Goshawk *Erythrotriorchis radiatus* in Queensland. *Australian Field Ornithology* 26: 148-156.

Czechura, G.V., Hobson, R.G. and Stewart, D.A. (2010). Distribution, status and habitat of the Red Goshawk *Erythrotriorchis radiatus* in Queensland. *Corella* 35(1): 3-10.

Czerny, A.B. and Dunton, K.H., 1995. The effects of in situ light reduction on the growth of two subtropical seagrasses, *Thalassia testudinum* and *Halodule wrightii*. *Estuaries* 18: 418-427.

DAFF (2011a). Australian Ballast Water Management Requirements, Version 5. Department of Agriculture, Fisheries and Forestry, Australian Government, Canberra.

DAFF (2011b). Vessel Waste. Department of Agriculture, Fisheries and Forestry, Queensland Government. Available online at:  
[http://www.daff.gov.au/aqis/avm/vessels/quarantine\\_concerns/waste](http://www.daff.gov.au/aqis/avm/vessels/quarantine_concerns/waste) (accessed 13/08/2012).

DAFF (2012). Australian Fisheries Statistics 2011. Research by the Australian Bureau of Agricultural and Resource Economics and Sciences. Department of Agriculture, Fisheries and Forestry, Australian Government.

DAFF and NQBP (2011). Monitoring data from Port of Weipa seagrass monitoring. Data source: North Queensland Bulk Ports and Department of Agriculture, Fisheries and Forestry, Queensland Government.

Dalley, C. (2010). Archaeological Assessment of Proposed Mine Infrastructure Areas within ML 7024, South of the Embley River, Western Cape York. Report 3 of the SoE EIS background heritage studies incorporating Dam C Extension and Water Pipeline. Internal unpublished report prepared for Rio Tinto Alcan.

Dames and Moore (1996). Draft Environmental Impact Assessment Study Ely Mining Lease, Report to Alcan South Pacific.

Dawe, G. and Goosem, M. (2008). Noise Disturbance along Highways: Kuranda Range Road Upgrade Project. Report to the Marine and Tropical Sciences Research Facility. Reef and Rainforest Research Centre Limited, Cairns.

Debus, S.J.S. (1998). The Birds of Prey of Australia, A Field Guide. Oxford University Press, Melbourne, Australia.

Debus, S.J.S. and Czechura, G.V. (1988). The Red Goshawk *Erythrotriorchis radiatus*: a review, *Australian Bird Watcher* 12: 175–99.

Debus, S.J.S. (2012). Peer Review: Red Goshawk and Masked Owl. Internal report, Rio Tinto Alcan EIS for South of Embley Project (Weipa, Qld).

Deda, P., Elbertzhagen, I. and Klusmann, M. (2007). Light pollution and the impacts on biodiversity, species and their habitats. Proceedings Starlight Conference 2007.

DEEDI (2011a). Declared Fish Habitat Area summary Pine River Bay. Department of Employment, Economic Development and Innovation, Queensland Government. Available online at: [http://www.daff.qld.gov.au/documents/Fisheries\\_Habitats/FHA-Infosheet-Pine-River-Bay.pdf](http://www.daff.qld.gov.au/documents/Fisheries_Habitats/FHA-Infosheet-Pine-River-Bay.pdf) (accessed 14/08/2012).

DEEDI (2011b). Gamba grass *Andropogon gayanus*. Declared Class 2 pest plant fact sheet. Department of Employment, Economic Development and Innovation, Queensland Government. Available online at: [http://www.daff.qld.gov.au/documents/Biosecurity\\_EnvironmentalPests/IPA-Gamba-Grass-PP147.pdf](http://www.daff.qld.gov.au/documents/Biosecurity_EnvironmentalPests/IPA-Gamba-Grass-PP147.pdf) (accessed 14/06/2012).

DEH (2002). A Gutful of Plastic - Let's Keep Plastic Off the Street and Out of the Ocean! Poster prepared in association with the Department of Environment and Heritage, Australian Government, Canberra. Available online at: <http://www.environment.gov.au/coasts/publications/pubs/poster.pdf>. Accessed 25 July 2007 (accessed 28/09/2012).

DEH (2005). Threat Abatement Plan for predation, habitat degradation, competition and disease transmission by feral pigs. Department of Environment and Heritage and Natural Heritage Trust, Australian Government.

DEH (2006). Wildlife conservation plan for migratory shorebirds. Department of Environment and Heritage and Natural Heritage Trust, Australian Government.

Department of Infrastructure and Planning (2009). Terms of reference for an environmental impact statement – South of Embley Project. The Coordinator-General, Department of Infrastructure and Planning, Queensland Government.

DeRuiter, S.L. and Doukara, K.L. (2012). Loggerhead turtles dive in response to airgun sound exposure. *Endangered Species Research* 16(1): 55-63.

DERM (2009a). Queensland Water Quality Guidelines 2009. Department of Environment and Resource Management, Queensland Government.

DERM (2009b). Regional Vegetation Management Code for Western Bioregions – Version 2 06 November 2009. Department of Environment and Resource Management, Queensland Government.

DERM (2011a). Information sheet – Mining: Determining dams containing hazardous waste. Department of Environment and Resources Management, Queensland Government.

DERM (2011b). Queensland Biodiversity Offsets Policy. Department of Environment and Resource Management, Queensland Government.

DERM (2012a). Invasive plants and animals: Marine plants and animals. Department of Environment and Resource Management, Queensland Government. Available online at: [www.derm.qld.gov.au/environmental\\_management/state\\_of\\_the\\_environment/state\\_of\\_the\\_environment\\_queensland\\_2007/state\\_of\\_the\\_environment\\_queensland\\_2007\\_contents/invasive\\_plants\\_and\\_animals\\_marine\\_plants\\_and\\_animals.html](http://www.derm.qld.gov.au/environmental_management/state_of_the_environment/state_of_the_environment_queensland_2007/state_of_the_environment_queensland_2007_contents/invasive_plants_and_animals_marine_plants_and_animals.html) (accessed 18/04/2012).

DERM (2012b). Manual for Assessing Hazard Categories and Hydraulic Performance of Dams – Version 3. Department of Environment and Resources Management, Queensland Government.

DERM (2012c). National recovery plan for the Red Goshawk *Erythrorhynchus radiatus*. Report to the Department of Sustainability, Environment, Water, Population and Communities, Australian Government, Canberra. Department of Environment and Resource Management, Queensland Government.

DEWHA (2008a). The North Marine Bioregional Plan; Bioregional Profile. Department of the Environment, Water, Heritage and the Arts. Available online at: <http://www.environment.gov.au/coasts/mbp/publications/north/pubs/bioregional-profile.pdf> (accessed 12/09/2012).

DEWHA (2008b). The South-West Marine Bioregional Plan: bioregional profile: a description of the ecosystems, conservation values and uses of the South-West Marine Region. Department of the Environment, Water, Heritage and the Arts, Australian Government. Available online at: <http://www.environment.gov.au/coasts/mbp/publications/south-west/pubs/sw-profile-full.pdf> (accessed 28/09/2012).

DEWHA (2008c). Threat Abatement Plan for predation by the European red fox. Department of Environment, Water, Heritage and the Arts, Australian Government.

DEWHA (2008d). Threat Abatement Plan for predation by feral cats. Department of Environment, Water, Heritage and the Arts, Australian Government.

DEWHA (2009a). Background paper to the EPBC Act policy Statement 3.21 Significant Impact Guidelines for 36 Migratory Shorebird Species. Department of Environment, Water, Heritage and the Arts, Australian Government, Canberra.

DEWHA (2009b). Draft EPBC Act Policy Statement 3.21 Significant Impact Guidelines for 36 Migratory Shorebird Species. Department of Environment, Water, Heritage and the Arts, Australian Government, Canberra.

DEWHA (2009c). Matters of National Environmental Significance, Significant Impact Guidelines 1.1. Department of Environment, Water, Heritage and the Arts, Australian Government, Canberra. Available online at: <http://www.environment.gov.au/epbc/publications/pubs/nes-guidelines.pdf> (accessed 11/09/2012).



DEWHA (2009d). Threat Abatement Plan for impacts of marine debris on vertebrate marine life. Department of Environment, Water, Heritage and the Arts, Australian Government.

DEWHA (2010a). Survey Guidelines for Australia's Threatened Birds. Department of Environment, Water, Heritage and the Arts, Australian Government, Canberra.

DEWHA (2010b). Survey Guidelines for Australia's Threatened Bats. Department of Environment, Water, Heritage and the Arts, Australian Government, Canberra.

DEWHA (2010c). Survey Guidelines for Australia's Threatened Frogs. Department of Environment, Water, Heritage and the Arts, Australian Government, Canberra.

DHI Water and Environment (2010). Draft Environmental Impact Statement / Environmental Review and Management Programme for the Proposed Wheatstone Project, July 2010. Technical Appendix Q2 Hydrocarbon Spill Modelling. Available online at:  
[https://www.chevronaustralia.com/Files/PDF/Wheatstone%20Draft%20EIS\\_ERMP%20Technical%20Appendices%20Q2%20to%20Q5.pdf](https://www.chevronaustralia.com/Files/PDF/Wheatstone%20Draft%20EIS_ERMP%20Technical%20Appendices%20Q2%20to%20Q5.pdf) (accessed 27/02/2013).

Diamond, A.W. (1976). Breeding biology and conservation of hawksbill turtles, *Eretmochelys imbricata*, on Cousin Island, Seychelles. *Biological Conservation* 9: 199–215.

Director of National Parks (2013). North Commonwealth Marine Reserves Network Management Plan 2014-24. Director of National Parks, Canberra.

DME/DEH (1995). Technical Guidelines for Environmental Management for Exploration and Mining Queensland. Department of Minerals and Energy and Department of Environment and Heritage, Queensland Government.

DNRM (2005). Hydrogeological framework report for the Great Artesian Basin resource plan area. Department of Natural Resources and Mining, Queensland Government.

DNRW (2002). Guidelines for Failure Impact Assessment for Water Dams, Queensland Department of Natural Resources and Water, Queensland Government.

DNRW (2007). Great Artesian Basin Resource Operations Plan. Queensland Department of Natural Resources and Water, Queensland Government.

DNV (2011). Final Report – Assessment of the risk of pollution from marine oil spills in Australian ports and waters. Det Norske Veritas report for the Australian Maritime Safety Authority (Report No PP002916, Rev 5, 14 December 2011).

Dobbs, K. and Pierce, S. (2005). 'Marine Reptiles'. In: A. Chin (Ed) *The State of the Great Barrier Reef On-line*, Great Barrier Reef Marine Park Authority, Townsville. Available online at:  
[http://www.gbrmpa.gov.au/data/assets/pdf\\_file/0004/3973/SORR\\_Marine\\_Reptiles.pdf](http://www.gbrmpa.gov.au/data/assets/pdf_file/0004/3973/SORR_Marine_Reptiles.pdf) (accessed 10/09/2012).

Dockrill, A.W. (1992). Australian Indigenous Orchids, revised edition, vol. 1, Surrey Beatty & Sons, Chipping Norton.

Doley, D. and Rossato, L. (2010). Mineral particulates and vegetation: Modelled effects of dust on photosynthesis in plant canopies. *Air Quality and Climate Change* 44(2).

Domeier, M.L. and Speare, P. (2012). Dispersal of Adult Black Marlin (*Istiompax indica*) from a Great Barrier Reef Spawning Aggregation. *PLoS ONE* 7(2): e31629.

Driscoll, P. (2001). Gulf of Carpentaria Wader Surveys 1998- 1999. Prepared on behalf of the Queensland Wader Study Group of Birds Queensland with assistance from the Australasian Wader Studies Group for the Environmental Protection Agency, Queensland Government.

DSEWPaC (2001). Ten species of Bats. Advice to the Minister for the Environment and Heritage from the Threatened Species Scientific Committee (TSSC) on Amendments to the List of Threatened Species under the Environment Protection and Biodiversity Conservation Act 1999 (EPBC Act). Available online at: <http://www.environment.gov.au/biodiversity/threatened/species/bats.html> (accessed 13/08/2012).

DSEWPaC (2008a). *Dendrobium bigibbum* Conservation Advice. Approved Conservation Advice for *Dendrobium bigibbum*. Department of the Environment, Water, Heritage and the Arts, Australian Government, Canberra.

DSEWPaC (2008b). *Dendrobium johannis* Conservation Advice. Approved Conservation Advice for *Dendrobium johannis*. Department of the Environment, Water, Heritage and the Arts, Australian Government, Canberra.

DSEWPaC (2008c). *Myrmecodia beccarii* Conservation Advice. Approved Conservation Advice for *Myrmecodia beccarii*. Department of the Environment, Water, Heritage and the Arts, Australian Government, Canberra.

DSEWPaC (2008d). *Solanum dunalianum* Conservation Advice. Approved Conservation Advice for *Solanum dunalianum*. Department of the Environment, Water, Heritage and the Arts, Australian Government, Canberra.

DSEWPaC (2008e). *Spathoglottis plicata* Conservation Advice. Approved Conservation Advice for *Spathoglottis plicata*. Department of the Environment and Heritage, Australian Government, Canberra.

DSEWPaC (2011a). *Environmental Protection and Biodiversity Conservation Act 1999* referral guidelines for the endangered northern quoll, *Dasyurus hallucatus*. Department of Sustainability, Environment, Water, Population and Communities, Australian Government, Canberra.

DSEWPaC (2011b). Marine Turtles in Australia – Olive Ridley Turtle. Department of Sustainability, Environment, Water, Population and Communities, Australian Government, Canberra. Available online at: <http://www.environment.gov.au/coasts/species/turtles/oliveridley.html> (accessed 19/10/2012).

DSEWPaC (2011c). Survey Guidelines for Australia's Threatened Mammals. Guidelines for detecting mammals listed as threatened under the *Environment Protection and Biodiversity Conservation Act 1999*. Department of Sustainability, Environment, Water, Population and Communities, Australian Government, Canberra. Available online at: <http://www.environment.gov.au/epbc/publications/pubs/survey-guidelines-mammals.pdf>. Accessed 16 August 2012 (accessed 16/08/2012).

DSEWPaC (2011d). Survey Guidelines for Australia's Threatened Reptiles. Guidelines for detecting reptiles listed as threatened under the *Environment Protection and Biodiversity Conservation Act 1999*. Department of Sustainability, Environment, Water, Population and Communities, Australian Government, Canberra. Available online at: <http://www.environment.gov.au/epbc/publications/pubs/survey-guidelines-reptiles.pdf> (accessed 16/08/2012).

DSEWPac (2012a). Commonwealth marine reserves: Announcement of Final Commonwealth marine reserves network proposal. Department of Sustainability, Environment, Water, Population and Communities, Australian Government, Canberra. Available online at:

<http://www.environment.gov.au/coasts/mbp/reserves/index.html> (accessed 23/08/2012).

DSEWPac (2012b). EPBC Act Environmental Offsets Policy. Department of Sustainability, Environment, Water, Population and Communities, Australian Government. Available online at:

<http://environment.gov.au/epbc/publications/pubs/offsets-policy.pdf> (accessed 04/10/12).

DSEWPac (2012c). Final Cape York Commonwealth Marine Reserve Proposal. Department of Sustainability, Environment, Water, Population and Communities, Australian Government. Available online at: <http://www.environment.gov.au/coasts/mbp/reserves/pubs/fs-north-west-cape-york.pdf> (accessed 14/08/2012).

DSEWPac (2012d). Great Barrier Reef, Townsville. Department of Sustainability, Environment, Water, Population and Communities, Australian Government, Canberra. Available online at:

[http://www.environment.gov.au/cgi-bin/ahdb/search.pl?mode=place\\_detail;place\\_id=105060](http://www.environment.gov.au/cgi-bin/ahdb/search.pl?mode=place_detail;place_id=105060) (accessed 29/08/2012).

DSEWPac (2012e). Harmful Marine Debris. Department of Sustainability Environment Water Populations and Communities, Australian Government. Available online at:

<http://www.environment.gov.au/biodiversity/threatened/publications/marine-debris.html> (accessed 29/03/2012).

DSEWPac (2012f). Marine Bioregional Plan for the North Marine Region. Department of Sustainability, Environment, Water, Population and Communities, Australian Government. Available online at

<http://www.environment.gov.au/coasts/marineplans/north/pubs/north-marine-plan.pdf> (accessed 19/10/2012).

DSEWPac (2012g). Marine Protected Areas. Department of Sustainability, Environment, Water, Population and Communities, Australian Government. Available online at:

<http://www.environment.gov.au/coasts/mpa/index.html> (accessed 28/09/2012).

DSEWPac (2012h). Migratory Waterbirds. Department of Sustainability, Environment, Water, Population and Communities, Australian Government, Canberra. Available online at:

<http://www.environment.gov.au/biodiversity/migratory/waterbirds/index.html> (accessed 03/01/2012).

DSEWPac (2012i). National Conservation Values Atlas. Department of Sustainability, Environment, Water, Population and Communities, Australian Government. Available online at

<http://www.environment.gov.au/arcgis-framework/apps/ncva/ncva.jsf> (accessed 10/10/2012).

DSEWPac (2012j). Overview of the zoning scheme for the North- Commonwealth Marine Reserves Network. Department of Sustainability, Environment, Water, Population and Communities, Australian Government, Canberra. Available online at:

<http://www.environment.gov.au/marinereserves/north/pubs/north-zoning-scheme.pdf> (accessed 17/12/2012).

DSEWPac (2012k). Report card – Commonwealth marine environment. Supporting the marine bioregional plan for the North Marine Region. Department of Sustainability, Environment, Water, Population and Communities, Australian Government, Canberra. Available online at:

<http://www.environment.gov.au/coasts/marineplans/north/pubs/north-report-card-commonwealth.pdf> (accessed 29/01/2013).



DSEWPac (2012l). Species group report card – cetaceans. Supporting the marine bioregional plan for the North Marine Region. Department of Sustainability, Environment, Water, Population and Communities, Australian Government, Canberra. Available online at:

<http://www.environment.gov.au/coasts/marineplans/north/pubs/north-report-card-cetaceans.pdf>  
(accessed 29/01/2013).

DSEWPac (2012m). Species group report card – dugong. Supporting the marine bioregional plan for the North Marine Region. Department of Sustainability, Environment, Water, Population and Communities, Australian Government, Canberra. Available online at:

<http://www.environment.gov.au/coasts/marineplans/north/pubs/north-report-card-dugong.pdf>  
(accessed 29/01/2013).

DSEWPac (2012n). Species group report card – marine reptiles. Supporting the marine bioregional plan for the North Marine Region. Department of Sustainability, Environment, Water, Population and Communities, Australian Government, Canberra. Available online at:

<http://www.environment.gov.au/coasts/marineplans/north/pubs/north-report-card-reptiles.pdf>  
(accessed 29/01/2013).

DSEWPac (2012o). Species group report card – sawfishes. Supporting the marine bioregional plan for the North Marine Region. Department of Sustainability, Environment, Water, Population and Communities, Australian Government, Canberra. Available online at:

<http://www.environment.gov.au/coasts/marineplans/north/pubs/north-report-card-sawfishes.pdf>  
(accessed 29/01/2013).

DSEWPac (2012p). Species group report card – seabirds. Supporting the marine bioregional plan for the North Marine Region. Department of Sustainability, Environment, Water, Population and Communities, Australian Government, Canberra. Available online at:

<http://www.environment.gov.au/coasts/marineplans/north/pubs/north-report-card-seabirds.pdf>  
(accessed 29/01/2013).

DSEWPac (2012q). Species Profile and Threats Database. Department of Sustainability, Environment, Water, Population and Communities, Australian Government, Canberra. Available online at:

<http://www.environment.gov.au/sprat> (accessed 10/08/2012).

DSEWPac (2012r). Ten species of Bat. Department of Sustainability, Environment, Water, Population and Communities, Australian Government, Canberra. Available online at:

<http://www.environment.gov.au/biodiversity/threatened/species/bats.html> (accessed 12/09/2012).

Duke, N.C. (2006). 'Indo-West Pacific stilt mangroves: *Rhizophora apiculata*, *R. mucronata*, *R. stylosa*, *R. X annamalaj*, *R. X lamarckii*. In: C.R. Elevitch (Ed.) *Traditional Trees of Pacific Islands: Their Culture, Environment, and Use*. Permanent Agriculture Resources (PAR), Holualoa, Hawaii. p816.

Duncan, A.J., McCauley, R.D., Parnum, I.M. and Salgado-Kent, C.P. (2010). Measurement and modelling of underwater noise from pile driving. Proceedings of 20th International Congress on Acoustics ICA 2010, Sydney.

Dunning, M., McKinnon, S., Lu, C.C., Yeatman, J. and Cameron, D. (1994). Demersal cephalopods of the Gulf of Carpentaria, Australia. *Australian Journal of Marine and Freshwater Research* 45(3): 351-374.

Eco Logical and Open Lines (2012). Abbot Point Cumulative Impact Assessment. Preliminary report. October 2012. Eco Logical Australia Pty Ltd and Open Lines Consulting Pty Ltd.

EcOz Environmental Services (2012). Draft Environmental Impact Statement Roper Bar Iron Ore Project. Available online at: [http://www.nretas.nt.gov.au/\\_data/assets/pdf\\_file/0019/126343/WDRL-Supplementary-EIS.pdf](http://www.nretas.nt.gov.au/_data/assets/pdf_file/0019/126343/WDRL-Supplementary-EIS.pdf) (accessed 24/09/2012).

EHP (2012a). Bare-rumped Sheathtail Bat. Department of Environment and Heritage Protection, Queensland Government. Available online at: [http://www.ehp.qld.gov.au/wildlife/animals-az/micro-bats/barerumped\\_sheathtailbat.html](http://www.ehp.qld.gov.au/wildlife/animals-az/micro-bats/barerumped_sheathtailbat.html) (accessed 13/08/2012).

EHP (2012b). Determining dams containing hazardous waste. Department of Environment and Heritage Protection, Queensland Government.

EHP (2012c). Information Sheet. Managing dams containing hazardous waste. EM1848 Version 1. Department of Environment and Heritage Protection, Queensland Government.

EHP (2012d). Manual for Assessing Hazard Categories and Hydraulic Performance of Dams. Department of Environment and Heritage Protection, Queensland Government.

EHP (2012e). Marine wildlife strandings annual reports. Department of Environment and Heritage Protection, Queensland Government. Available online at: [http://www.ehp.qld.gov.au/wildlife/caring-for-wildlife/strandnet-reports.html#whales\\_dolphins\\_seals\\_and\\_sea](http://www.ehp.qld.gov.au/wildlife/caring-for-wildlife/strandnet-reports.html#whales_dolphins_seals_and_sea) (accessed 13/08/2012).

EHP (2012f). Seventh update on the water quality of Port Curtis and tributaries: Including data collected in the week of 2 April 2012. Prepared by Environment and Resource Science, Department of Science, Information Technology, Innovation and the Arts on behalf of the Department of Environment and Heritage Protection, Queensland Government.

EHP (2012g). Species profile for *Calophyllum bicolor*. Department of Environment and Heritage Protection, Queensland Government. Available online at: [http://www.ehp.qld.gov.au/wildlife/threatened-species/vulnerable/vulnerable-plants/calophyllum\\_bicolor.html](http://www.ehp.qld.gov.au/wildlife/threatened-species/vulnerable/vulnerable-plants/calophyllum_bicolor.html) (accessed 26 July 2012).

Environment Australia (2003). The community of native species dependent on natural discharge of groundwater from the Great Artesian Basin, Threatened Ecological Community (Map at scale of 1:250,000). Environmental Resources Information Network, Environment Australia.

EPA (1998). Draft Guidelines for the Assessment and Management of Contaminated Land in Queensland. Environmental Protection Agency, Queensland Government.

EPA (1999). Water Quality Sampling Manual. 3rd edition. Queensland Environmental Protection Agency.

EPA (2005). Wetland Management Profile: Great Artesian Basin spring wetlands. Queensland Environmental Protection Agency.

EPA (2007). Nature Conservation (Estuarine Crocodile) Conservation Plan 2007 and Management Program 2007–2017. Queensland Environmental Protection Agency.

Erbe, C. (2009). Underwater Noise from Pile Driving in Moreton Bay, Qld. *Acoustics Australia* 37(3): 87.

Erbe, C. (2012). 'Effects of underwater noise on marine mammals'. In: A.N. Popper and A. Hawkins (eds.). *The Effects of Noise on Aquatic Life. Advances in Experimental Medicine and Biology*, pp. 17-22. New York: Springer-Verlag.

Erftemeijer, P.L.A. and Lewis III, R.R.R. (2006). Environmental impacts of dredging on seagrasses: A review. *Marine Pollution Bulletin* 52: 1553 -1572.

- Faris, J. and Hart, K. (1994). Seas of Debris: A summary of the Third International Conference on Marine Debris. Alaska Fisheries Science Centre, North Carolina Sea Grant College program. Publication No. UNC-SG-95-01. USA.
- Fensham, R.J, Ponder, W.F. and Fairfax, R.J. (2010). Recovery plan for the community of native species dependent on natural discharge of groundwater from the Great Artesian Basin. Report to Department of the Environment, Water, Heritage and the Arts, Canberra. Queensland Department of Environment and Resource Management, Brisbane.
- Fitzimmons, J., Legge, S., Traill, B. and Woinarski, J. (2010). Into Oblivion; The Disappearing Native Mammals of Northern Australia. The Nature Conservancy, Australian Wildlife Conservancy, Pew Environment Group.
- Floerl, O. (2004). Factors that influence hull fouling on ocean-going vessels. Proceedings Current Issues and Potential Management Strategies, 2004 pp 6-13.
- Ford, G., Thomson, B. and Macdonald, S. (2012). The ongoing challenge of characterising the echolocation calls of a rare tropical bat. Oral presentation at the 15th Australasian Bat Society Conference, Melbourne, Australia, 11-13 April 2012.
- Fowler, H.W. (1941). The fishes of the groups Elasmobranchii, Holocephali, Isospondyli, and Ostariophysi obtained by United States Bureau of Fisheries Steamer Albatross in 1907 to 1910, chiefly in the Philippines Islands and adjacent seas. *Bulletin of the United States National Museum* 100(13): 1-879.
- Fowler, S. (1997). River shark discovered in Sabah. *Shark News, Newsletter of the IUCN Shark Specialist Group*. 9:11.
- Freeland, W.J. and Bayliss, P. (1989). The Irrawaddy river dolphin *Orcaella brevirostris* in coastal waters of the Northern Territory, Australia: distribution, abundance and seasonal changes. *Mammalia* 53:49-57.
- Fukuda, Y., Whitehead, P. and Boggs, G. (2007). Broad-scale environmental influences on the abundance of saltwater crocodiles (*Crocodylus porosus*). *Wildlife Research* 34: 167-176.
- Fury, C.A. and Harrison, P.L. (2008). Abundance, site fidelity and range patterns of Indo-Pacific bottlenose dolphins (*Tursiops aduncus*) in two Australian subtropical estuaries. *Marine and Freshwater Research* 59: 1015-1027.
- FWHA (2004). Synthesis of Noise Effects on Wildlife Populations. US Department of Transportation Federal Highway Administration, Publication No. FHWA HEP 06 016.
- GABCC (2010). Great Artesian Basin Resource Study Update. Great Artesian Basin Co-ordinating Committee. Available online at:  
<http://www.gabcc.org.au/tools/getFile.aspx?tbl=tblContentItem&id=412> (accessed 28/09/2012).
- Garnett, S. and Crowley, G. (2000). The Action Plan for Australian Birds 2000. Environment Australia, Canberra.
- Garnett S., Szabo J. and Dutson G. (2010). *The Action Plan for Australian Birds 2010*. CSIRO Publishing, Collingwood, Victoria.
- Gaus, C., Paepke, O., Dennison, N., Haynes, D., Shaw, G.R., Connell, D.W. and Mueller, J.F. (2001). Evidence for the presence of a widespread PCDD source in coastal sediments and soils from Queensland, Australia. *Chemosphere* 43(4-7): 549-558.



- Gausland, I. (2000). Impact of Seismic Surveys on Marine Life, SPE International Conference on Health, Safety and the Environment in Oil and Gas Exploration and Production, Stavanger, Norway, 26-28 June 2000. Society of Petroleum Engineers.
- GBRMPA (1981). Nomination of the Great Barrier Reef for Inclusion in the World Heritage List. Great Barrier Reef Marine Park Authority, Townsville, Queensland. 6p.
- GBRMPA (2004). Shipping in the Great Barrier Reef Marine Park. Great Barrier Reef Marine Park Authority, Townsville, Queensland.
- GBRMPA (2009a). Environmental Assessment and Management Risk Management Framework. Great Barrier Reef Marine Park Authority, Queensland.
- GBRMPA (2009b). Great Barrier Reef Outlook Report. Great Barrier Reef Marine Park Authority, Townsville, Queensland. 212p.
- GBRMPA (2011). Criteria values and attributes. Great Barrier Reef Marine Park Authority. Available online at: <http://www.gbrmpa.gov.au/about-the-reef/heritage/great-barrier-reef-world-heritage-area/criteria-values-and-attributes> (accessed 03/07/2012).
- GBRMPA (2012a). Environmental Status: Marine Mammals. Great Barrier Reef Marine Park Authority. Available online at: [http://kurrawa.gbrmpa.gov.au/corp\\_site/info\\_services/publications/sotr/marine\\_mammals/part\\_02.html](http://kurrawa.gbrmpa.gov.au/corp_site/info_services/publications/sotr/marine_mammals/part_02.html) (accessed 16/10/2012).
- GBRMPA (2012b). Ports and Shipping Information Sheet – August 2012. Great Barrier Reef Marine Park Authority. Available online at: [http://www.gbrmpa.gov.au/data/assets/pdf\\_file/0009/26775/Ports-and-Shipping-Information-sheet-Aug-2012.pdf](http://www.gbrmpa.gov.au/data/assets/pdf_file/0009/26775/Ports-and-Shipping-Information-sheet-Aug-2012.pdf) (accessed 16/10/2012).
- Gerstein, E.R., Gerstein, L., Forsythe, S.E. and Blue, J.E. (1999). The underwater audiogram of the West Indian manatee (*Trichechus manatus*). *Journal of the Acoustical Society of America* 105: 3575–3583.
- GHD (2005). Port of Weipa Capital Dredging: Draft Environmental Impact Statement. Report prepared by GHD for Ports Corporation Queensland.
- GHD (2007a). Initial Advice Statement. Report for Aurukun Bauxite Project: Aurukun Mine and Port Facilities.
- GHD (2007b). Turtle Nest Monitoring Report. Report for Aurukun Bauxite Project. 22p.
- GHD (2009). Townsville Marine Precinct Project: Environmental Impact Statement
- Ghost Nets Australia (2012). Ghost Nets Australia website. Available online at: <http://www.ghostnets.com.au/index.html> (accessed 19/10/2012).
- Giles, J., Pillans, R.D., Miller, M.J. and Salini, J.P. (2006). Sawfish Catch Data in Northern Australia: A Desktop Study. Internal CSIRO Report for FRDC. 2002/064:74.
- Gilmour, J.P., Cooper, T.F., Fabricius, K.E. and Smith, L.D. (2006). Early warning indicators of change in corals and coral communities responding to anthropogenic stressors in the Pilbara, Western Australia. Environmental Protection Authority, Western Australia. 100p.
- GISP (2008). Marine Biofouling and Invasive Species: Guidelines for Prevention and Management. Compiled by Lynn Jackson on behalf of the Global Invasive Species Programme and the UNEP Regional Seas Programme.

- Godfrey, M.H. and Barreto, R. (1995). Beach vegetation and seafinding orientation of turtle hatchlings. *Biological Conservation* 74: 29-32.
- Godwin, M. (1985). Land Units of the Weipa Region, Cape York Peninsula. Queensland Parks and Wildlife Service.
- Godwin, L.S. (2003). Hull fouling of maritime vessels as a pathway for marine species invasions to the Hawaiian Islands. *Biofouling* 19 (Supplement): 123-131.
- Gordon, D.M., Grey, K.A., Chase, S.C. and Simpson, C.J. (1994). Changes to the structure and productivity of a *Posidonia sinuosa* meadow during and after imposed shading. *Aquatic Botany* 47: 265–275.
- Gould, S. (2010). Does post-mining rehabilitation on the Weipa bauxite plateau restore bird habitat values? PhD dissertation, Australian National University, Canberra, Australia.
- Grech, A. and Marsh, H. (2008). Rapid assessment of risks to a mobile marine mammal in an ecosystem-scale marine protected area. *Conservation Biology* 22(3): 711-720.
- Grech, A., Coles, R. and Marsh, H. (2011). A broad-scale assessment of the risk to coastal seagrasses from cumulative threats. *Marine Policy* 35(5): 560-567.
- Greenland, J.A. and Limpus, C.J. (2006). Marine wildlife stranding and mortality database annual report 2006 I. Dugong. *Conservation Technical and Data Report* 2006, 1: 1-25.
- Greenland, J.A. and Limpus, C.J. (2008). Marine wildlife stranding and mortality database annual report 2008 I. Dugong. *Conservation Technical and Data Report* 2008, 1: 1-28.
- Grice, A.M., Loneragan, N.R. and Dennison, W.C. (1996). Light intensity and the interactions between physiology, morphology and stable isotope ratios in five species of seagrass. *Journal of Experimental Marine Biology and Ecology* 195: 91–110.
- Guisan, A., Broennimann, O., Engler, R., Vust, M., Yoccoz, N., Lehmann, A. and Zimmermann, N. (2006). Using niche-based models to improve the sampling of rare species. *Conservation Biology* 20: 501–511.
- Gunness, A.G., Lawrie, J.W. and Foster, M.B. (1987). Land Units of the Weipa Environs – 1:24,000 Map and Explanatory Notes. Report to Comalco Aluminium Limited, Weipa.
- Gyuris E. (1994). The rate of predation by fishes on hatchlings of the green turtle. *Coral Reefs* 13: 137–144.
- Habermehl, M.A. (1980). The Great Artesian Basin, Australia. *BMR Journal of Geology and Geophysics* 5: 9-38.
- Hale, P., Long, S. and Tapsall, A. (1998). 'Distribution and conservation of delphinids in Moreton Bay'. **In:** I.R. Tibbetts, N.J. Hall and W.D. Dennison (eds.) *Moreton Bay and catchment*, pp. 477-486. School of Marine Science, University of Queensland, Brisbane.
- Hamann, M., Limpus, C., Hughes, G., Mortimer, J. and Pilcher, N. (2006). Assessment of the conservation status of the leatherback turtle in the Indian Ocean and South East Asia. IOSEA Marine Turtle MoU Secretariat, Bangkok.
- Harris, A. (1994). 'Species review: Olive ridleys'. **In:** R. James (compiler) *Proceedings of the Marine Turtle Conservation Workshop*, pp. 58–61. Australian National Parks and Wildlife Service, Canberra.

- Harris, P.T., Heap, A.D., Wassenberg, T. and Passlow, V. (2004). Submerged coral reefs in the Gulf of Carpentaria, Australia. *Marine Geology* 207: 185-191.
- Hart, B.T., Ottaway, E.M. and Noller, B.N. (1987). Magela Creek system, Northern Australia. 1982.83 Wet-season water quality. *Australian Journal of Marine and Freshwater Research* 38: 261-288.
- Hayes, K., Sliwa, C., Migus, S., McEnnulty, F. and Dunstan, P. (2004). National priority pests: Part II Ranking of Australian marine pests, final report for the Department of Environment and Heritage, Canberra.
- Hays, G.C., Ashworth J.S., Barnsley, M.J., Broderick, A.C., Emery, D.R., Godley B.J., Henwood, A. and Jones, E.L. (2001). The importance of sand albedo for the thermal conditions on sea turtle nesting beaches. *Oikos* 93: 87-94.
- Haywood, M.D.E., Vance, D.J. and Loneragan, N.R. (1995). Seagrass and algal beds as nursery habitats for tiger prawns (*Penaeus semisulcatus* and *P. esculentus*) in a tropical Australian estuary. *Marine Biology* 122: 213-223.
- Heinsohn, G.E., Wake, J., Marsh, H. and Spain, A.V. (1977). The dugong (*Dugong dugon* (Müller)) in the seagrass system. *Aquaculture* 12: 235-248.
- Herbert, B. (1995). Swamp Ecology of the Weipa Region. Report prepared for Comalco Aluminium Limited. Department of Primary Industries, Regeneration Library 631.64 016.
- Heupel, M.R. and Simpfendorfer, C.A. (2005). Quantitative analysis of aggregation behavior in juvenile blacktip sharks. *Marine Biology* 147: 1239-1249.
- Hill, B. and Ward, S. (2010). National Recovery Plan For the Northern Quoll *Dasyurus hallucatus*. Department of Natural Resources, Environment, The Arts and Sport, Northern Territory Government. Available online at:  
<http://www.environment.gov.au/biodiversity/threatened/publications/recovery/pubs/northern-quoll.pdf> (accessed 16/10/2012).
- Hodgson, A.J. and Marsh, H. (2007). Response of dugongs to boat traffic. The risk of disturbance and displacement. *Journal of Experimental Marine Biology and Ecology* 340: 50-61.
- Hoedt, F.E., Choat, J.H., Cruz, J.J., Neil, K.M. and Collins, J. (2001). Survey of the Port of Weipa: port marine baseline surveys and surveys for introduced marine pests. Final report prepared for Ports Corporation Queensland by CRC Reef Research Centre and School of Marine Biology and Aquaculture, James Cook University, April 2001.
- Husar, S. (1978). *Dugon dugon*. *Mammalian Species* 88:1-7.
- Hutley, L.B., O'Grady, A.P. and Eamus, D. (2000). Evapotranspiration from Eucalypt open-forest savanna of Northern Australia. *Functional Ecology* 14: 183-194.
- Hydrobiology (2004). Ecological and Geomorphological Assessment for the Gulf and Mitchell Water Resource Plan. Hydrobiology, Pty. Ltd. 404p.
- Hydrobiology (2008). An Environmental Assessment of the Baffle Creek Basin Water Resource Plan Area. Consultant report to Queensland Department of Natural Resources and Water. Hydrobiology Pty. Ltd.
- IE Aust (2001). Australian Rainfall and Runoff Vol.1. Book 6 – Estimation of Large to Extreme Floods. Institution of Engineers Australia.
- ICF Jones and Stokes (2009). Technical Guidance for Assessment and Mitigation of the Hydroacoustic Effects of Pile Driving on Fish. ICF Jones and Stokes, Sacramento, California.



IMO (2000a). Specific Guidelines for Assessment of Dredged Material. Adopted by the 22nd Consultative Meeting of Contracting Parties to the London Convention 1972 by resolution LC.22/5 (2000) 18-22 September 2000. International Maritime Organisation.

IMO (2000b). Waste Specific Guidelines for Assessment of Dredged Material. International Maritime Organization. Available online at: [http://www.gc.noaa.gov/documents/gcil\\_imo\\_dmwig.pdf](http://www.gc.noaa.gov/documents/gcil_imo_dmwig.pdf) (accessed 06/09/2012).

IMO (2004). International Convention for the Control and Management of Ships' Ballast Water and Sediments (BWM). International Maritime Organization. Available online at: [http://www.imo.org/about/conventions/listofconventions/pages/international-convention-for-the-control-and-management-of-ships'-ballast-water-and-sediments-\(bwm\).aspx](http://www.imo.org/about/conventions/listofconventions/pages/international-convention-for-the-control-and-management-of-ships'-ballast-water-and-sediments-(bwm).aspx) (accessed 13/09/2012).

IMO (2009). Noise from Commercial Shipping and its Adverse Impacts on Marine Life. Report of the correspondence group. Marine Environment Protection Committee 59/19/1. International Maritime Organization. Available online at: [http://www.acousticecology.org/docs/IMO\\_MEPC\\_59-19-1\\_May09\\_IFAW\\_submission.pdf](http://www.acousticecology.org/docs/IMO_MEPC_59-19-1_May09_IFAW_submission.pdf) (accessed 10/09/2012).

IMO (2011). Guidelines for the Control and Management of Ship's Biofouling to Minimize the Transfer of Invasive Aquatic Species. International Maritime Organization.

IMO (2012a). MARPOL Annex I – Prevention of Pollution by Oil. International Maritime Organization. Available online at: [www.imo.org/OurWork/Environment/PollutionPrevention/OilPollution/Pages/Default.aspx](http://www.imo.org/OurWork/Environment/PollutionPrevention/OilPollution/Pages/Default.aspx) (accessed 14/03/2012).

IMO (2012b). Sub-committee on Ship Design and Equipment, 56<sup>th</sup> Session 13 – 17 February 2012. International Maritime Organization.

Janik, V. M. and Thompson, P. M. (1996). Changes in surfacing patterns of bottlenose dolphins in response to boat traffic. *Marine Mammal Science* 12: 597-602.

Jefferson, T.A. (2000). Population biology of the Indo-Pacific hump-backed dolphin in Hong Kong waters. *Wildlife Monographs* 144: 65.

Jefferson, T.A., Hung, S.K. and Würsig, B. (2009). Protecting small cetaceans from coastal development: Impact assessment and mitigation experience in Hong Kong. *Marine Policy* 33(2): 305-311.

Jefferson, T.A. and Karczmarski, L. (2001). *Sousa chinensis*. *Mammalian Species* 655: 1-9.

Jones, D.L. (1988). Native Orchids of Australia. Reed Books, Frenchs Forest, NSW.

Karczmarski, L. (1996). Ecological studies of humpback dolphins *Sousa chinensis* in the Algoa Bay region, Eastern Cape, South Africa. PhD. thesis dissertation, University of Port Elizabeth, South Africa.

Karczmarski, L. (1999). Group dynamics of humpback dolphins *Sousa chinensis* in the Algoa Bay region, South Africa. *Journal of Zoology, London* 249: 283-293.

Kato, H. (2002). 'Bryde's Whales *Balaenoptera edeni* and *B. brydei*'. In: W.F. Perrin, B. Würsig and H.G.M. Thewissen (eds.) *Encyclopedia of Marine Mammals*, pp. 171-177. Academic Press, London.

Kawamura, A. and Satake, Y. (1976). Preliminary report on the geographical distribution of the Bryde's Whale in the North Pacific with special reference to the structure of the filtering apparatus. *Scientific Reports of the Whales Research Institute* 28: 1-35.

- Kawamura, A. (1980). Food habits of the Bryde's whales taken in the South Pacific and Indian Oceans. *Scientific Reports of the Whales Research Institute* 32: 1-23.
- Kenyon, R.A., Turnbull, C. and Smit, N. (2004). 'Prawns'. **In:** *A Description of key species groups in the northern planning area: background paper*, pp. 227-248. National Oceans Office, Hobart.
- Kiszka, J., Muir, C. and Amon, A. (2008). Status of a Marginal Dugong (*Dugong Dugon*) Population in the Lagoon of Mayotte (Mozambique Channel) in the Western Indian Ocean. *Western Indian Ocean Journal of Marine Science* 6(1).
- Kwan, D. (2002). Towards a sustainable Indigenous fishery for dugongs in Torres Strait: A contribution of empirical data and process. Unpublished PhD thesis, James Cook University, Townsville, Australia.
- Laist, D.W., Knowlton, A.R., Mead, J.G., Collet, A.S. and Podesta, M. (2001). Collisions between ships and great whales. *Marine Mammal Science* 17(1): 35-75.
- Landsberg, J. and Clarkson, J. (2004). Threatened Plants of the Cape York Peninsula. A report to the Australian Government Department of the Environment and Heritage, Queensland Parks and Wildlife Service.
- Lanyon, J.M. (2003). Distribution and abundance of dugongs in Moreton Bay, southeast Queensland. *Wildlife Research* 30: 397-409.
- Larson, H., Woinarski, J. and Stirrat, S. (2006). Threatened species of the Northern Territory: Dwarf sawfish *Pristis clavata*. Department of Natural Resources, Environment, Arts and Sport, Northern Territory Government. Available online at: [http://www.nt.gov.au/nreta/wildlife/animals/threatened/pdf/fish/Dwarf\\_sawfish\\_VU.pdf](http://www.nt.gov.au/nreta/wildlife/animals/threatened/pdf/fish/Dwarf_sawfish_VU.pdf) (accessed 25/09/2008).
- Last, P.R. and Stevens, J.D. (1994). Sharks and Rays of Australia. CSIRO, Melbourne.
- Last, P.R. and Stevens, J.D. (2009). Sharks and Rays of Australia (second ed.). Harvard University Press, pp. 276–277.
- Laughlin, J. (2007). Underwater sound levels associated with driving steel and concrete piles near the Mukilteo Ferry terminal. Washington State Department of Transportation, Seattle, Washington.
- Laws, E. A. (2000). Aquatic Pollution. An Introductory Text. Wiley and Sons Inc. Canada. 631p.
- Leach G.J., Delaney, R. and Fukuda, Y. (2009). Management Program for the Saltwater Crocodile in the Northern Territory of Australia, 2009 - 2014. Northern Territory Department of Natural Resources, Environment, The Arts and Sport, Darwin.
- Lee Long, W.J., Mellors, J.E. and Coles, R.G. (1993). Seagrasses between Cape York and Hervey Bay, Queensland, Australia. *Australian Journal of Marine and Freshwater Research* 44: 19-31.
- Leis, B. (2008). 2008 Crab Island Flatback Turtle Nesting Study. Crab Island Flatback Turtle Research Project.
- Lewis, A and SUBTEF (2001). Oil Spill Dispersants. Available online at: <http://documents.plant.wur.nl/imares/dispersants/08sintef.pdf> (accessed 19/03/2012).
- Limpus, C.J. (1995). 'Global overview of the status of marine turtles: a 1995 viewpoint'. **In:** K.A. Bjorndal (ed.) *Biology and Conservation of Sea Turtles. Revised edition*. Smithsonian Institution Press, Washington.

- Limpus, C.J. (2007). A Biological Review of Australian Marine Turtles. 5. Flatback Turtle *Natator depressus* (Garman). Queensland Environmental Protection Agency.
- Limpus, C.J. (2008a). A Biological Review of Australian Marine Turtles. 1. Loggerhead Turtle *Caretta caretta* (Linnaeus). Queensland Environmental Protection Agency.
- Limpus, C.J. (2008b). A Biological Review of Australian Marine Turtles. 4. Olive Ridley Turtle *Lepidochelys olivacea* (Eschscholtz). Queensland Environmental Protection Agency.
- Limpus, C.J. (2008c). A Biological Review of Australian Marine Turtles. 2. Green Turtle *Chelonia mydas* (Linnaeus). Queensland Environmental Protection Agency.
- Limpus, C.J. (2009a). A Biological Review of Australian Marine Turtles. 3. Hawksbill Turtle *Eretmochelys imbricata* (Linnaeus). Queensland Environmental Protection Agency.
- Limpus, C.J. (2009b). A Biological Review of Australian Marine Turtles. 6. Leatherback Turtle, *Dermochelys coriacea* (Vandelli). Queensland Environmental Protection Agency.
- Limpus, C. and Chaloupka, M. (2001). Trends in the abundance of sea turtles resident in southern Great Barrier Reef waters. *Biological Conservation* 102: 235-249.
- Limpus, C. and Chatto, R. (2004). Marine Turtles. Description of Key Species Groups in the Northern Planning Area. National Ocean's Office, Hobart. pp 113-136.
- Limpus, C.J., Couper, P.J. and Couper, K.L.D. (1993). Crab Island revisited: reassessment of the world's largest flatback turtle rookery after twelve years. *Memoirs of the Queensland Museum*. 33(1): 277-289.
- Limpus, C. J. and Limpus, D. J. (2003). 'Biology of the loggerhead turtle in western South Pacific Ocean foraging areas'. In: A.B. Bolten and B.E. Witherington (eds.) *Loggerhead Sea Turtles*. pp. 93–113. Smithsonian Institution Press, Washington.
- Limpus, C.J. and Miller, J.D. (2008). Australian Hawksbill Turtle Population Dynamics Project. Queensland Environmental Protection Agency. 130p.
- Limpus, C.J. and Reed, P. (1985). 'The green turtle, *Chelonia mydas*, in Queensland: A preliminary description of the population structure in a coral reef feeding ground'. In: G. Grigg, R. Shine and H. Ehmalm (eds) *Biology of Australasian Frogs and Reptiles*, pp. 47-52. Surrey Beatty and Sons, Sydney.
- Limpus, C.J., Fleay, A. and Baker, V. (1984). The flatback turtle, *Chelonia depressa*, in Queensland: reproductive periodicity, philopatry and recruitment. *Australian Journal of Wildlife Research* 11: 579-587.
- Lohmann, K. J. (1991). Magnetic orientation by hatchling loggerhead sea turtles (*Caretta caretta*). *The Journal of Experimental Biology* 155: 37-49.
- Longstaff, B.J. and Dennison, W.C. (1999). Seagrass survival during pulsed turbidity events: the effects of light deprivation on the seagrasses *Halodule pinifolia* and *Halophila ovalis*. *Aquatic Botany* 65: 105–121.
- Longstaff, B.J., Lonerragan, N.R., O'Donohue, M.J. and Dennison, W.C. (1999). Effects of light deprivation on the survival and recovery of the seagrass *Halophila ovalis* (R. Br.) Hook. *Journal of Experimental Marine Biology and Ecology* 234: 1–27.
- Loop, K., Miller, J.D. and Limpus, C.J. (1995). Nesting by the Hawksbill turtle (*Eretmochelys imbricata*) on Milman Island, Great Barrier Reef, Australia. *Wildlife Research* 22: 241-252.

- Loya, Y. and Rinkevich, B. (1980). Effects of oil pollution on coral reef communities. *Marine Ecology Progress Series* 2: 875-878.
- Lucas, P.H.C., Wedd, T., Valentine, P.S. and Marsh, H. (1983). The Outstanding Universal Value of the Great Barrier Reef World Heritage Area. Great Barrier Reef Marine Park Authority.
- Lucke, K., Siebert, U., Lepper, P.A. and Blanchet, M.A. (2009). Temporary shift in masked hearing thresholds in a harbor porpoise (*Phocoena phocoena*) after exposure to seismic airgun stimuli. *Journal of the Acoustical Society of America* 125: 4060–4070.
- Lusseau, D., Slooten, L. and Currey, R.J.C. (2006). Unsustainable dolphin-watching tourism in Fjordland, New Zealand. *Tourism in Marine Environments* 3(2): 173-178.
- Magnusson, W.E. (1979a). Dispersal of hatchling crocodiles (*Crocodylus porosus*) (Reptilia, Crocodylidae). *Journal of Herpetology* 13(3): 227-231.
- Magnusson, W.E. (1979b). Incubation period of *Crocodylus porosus*. *Journal of Herpetology* 13: 362-363.
- Magnusson W.E., Grigg G.C. and Taylor J.A. (1980). An aerial survey of potential nesting areas of *Crocodylus porosus* on the west coast of Cape York Peninsula. *Australian Wildlife Research* 7: 465-78.
- Mahoney, J.A. and Walton, D.W. (1988). 'Emballonuridae'. **In:** J.A. Mahoney and D.W. Walton (eds.) *Mammalia*, 5: 114-118. Australian Government Publishing Service, Canberra.
- Manjaji, B.M. (2002). New records of elasmobranch species from Sabah. **In:** S.L. Fowler, T.M. Reed and F.A. Dipper (eds.) *Elasmobranch Biodiversity, Conservation and Management: Proceedings of the International Seminar and Workshop*, pp. 70-77. Sabah, Malaysia.
- Mann (1977). Impact of developed coastline on nesting and hatchling sea turtles in southeastern Florida. Unpubl. M.S. Thesis. Florida Atlantic University, Boca Raton.
- Manci, K.M., Gladwin, D.N., Villella, R. and Cavendish, M.G. (1998). Effects of aircraft noise and sonic booms on domestic animals and wildlife: a literature synthesis. U.S. Fish and Wildlife Service, National Ecology Research Center, Ft. Collins, CO. NERC 88/29.
- Marchant, S. and Higgins, P. (eds) (1993). *Handbook of Australian, New Zealand and Antarctic Birds. Vol. 2 - Raptors to Lapwings*. Oxford University Press, Melbourne.
- Marchesan, M., Spoto, M., Verginella, L. and Ferrero, E.A. (2005). Behavioural effects of artificial light on fish species of commercial interest. *Fisheries Research* 73(1-2): 171-185.
- Marsh, H. (1988). 'An ecological basis for Dugong conservation in Australia'. **In:** M.L. Augée (ed.) *Marine Mammals of Australasia: Field Biology and Captive Management*, pp. 9-21. Royal Zoological Society of NSW, Sydney.
- Marsh, H. (1995). 'The life history, pattern of breeding and population dynamics of the Dugong'. **In:** T.J. O'Shea, B.B. Ackermann and H.F. Percival (eds.) *Population Biology of the Florida Manatee*, pp. 75-83. US Department of the Interior, National Biological.
- Marsh, H. (1989). Biological basis for managing Dugongs and other large vertebrates in the Great Barrier Reef Marine Park. Unpublished report to the Great Barrier Reef Marine Park Authority.
- Marsh, H. (2008). *Dugong dugon*. IUCN 2009, *IUCN Red List of Threatened Species*. Version 2009, 2. Available online at: [www.iucnredlist.org](http://www.iucnredlist.org) (accessed 02/08/2012).



- Marsh, H. and Lefebvre, L.W. (1994). Sirenian Status and Conservation efforts. *Aquatic Mammals* 20: 767-788.
- Marsh, H. and Saalfeld, W.K. (1991). 'The status of the Dugong in Torres Strait'. **In:** D. Lawrence and T. Cansfield-Smith (ds.) *Sustainable Development of Traditional Inhabitants of the Torres Strait Region*, pp. 187-194. GBRMPA Workshop Series 10.
- Marsh, H., Heinsohn, G.E. and Marsh, L.M. (1984). Breeding cycle, life history and population dynamics of the Dugong (*Dugong dugon*) (Sirenia: Dugongidae). *Australian Journal of Zoology* 32: 767-788.
- Marsh H., O'Shea, T.J. and Best R.C. (1986). Research on Sirenians. *Ambio* 15(3): 177-180.
- Marsh, H., Penrose, H., Eros, C. and Hugues, J. (2002). Dugong Status Report and Action Plans for Countries and Territories. United Nations Environment Programme, Nairobi.
- Marshall, P., Christie, C., Dobbs, K., Green, A., Haynes, D., Brodie, J., Michalek-Wagner, K., Smith, A. Storrie, J. and Turak, E. (2002). Grounded ship leaves TBT-based antifoulant on the Great Barrier Reef: An overview of the environmental response. *Spill Science & Technology Bulletin* 7(5-6): 215-221.
- Martin, A.R. (1990). *Whales and Dolphins*. Salamander Books Ltd, London, U.K.
- McAuley, R., Lenanton, R., Chidlow, J., Allison, R. and Heist, E. (2005). Biology and Stock Assessment of the Thickskin (Sandbar) Shark, *Carcharhinus plumbeus*, in Western Australia and Further Refinement of the Dusky Shark, *Carcharhinus obscurus*, Stock Assessment. Final Report to the Fisheries Research and Development Corporation for FRDC project no. 2000/134.
- McCauley, R.D. and Cato, D.H. (2003). 'Acoustics and marine mammals: Introduction, importance, threats and potential as a research tool'. **In:** N. Gales, M. Hindell, and R. Kirkwood (eds) *Marine Mammals*. Fisheries, Tourism and Management Issues, CSIRO, Australia, 446p.
- McCauley, R. D., Fewtrell, J., Duncan, A. J., Jenner, C., Jenner, M.N. and Penrose, J.D. (2000). Marine seismic surveys: A study of environmental implications. *Australian Petroleum Production and Exploration Association Journal* 40: 692-708.
- McKenna, S.A. and Rasheed, M.A. (2010). Port of Weipa Long Term Seagrass Monitoring, September 2009. Department of Environment, Economic Development and Innovation Publication. Fisheries Queensland, Cairns. 25p.
- McKenzie, L.J and Yoshida, R.L. (2009). Seagrass-Watch: Proceedings of a Workshop for Monitoring Seagrass Habitats in Cape York Peninsula, Queensland, 9-10 March 2009. Seagrass Watch HQ, Cairns. 54p.
- McNamara, K.J. and Wyre, G.J. (1993). 'The conservation, management and farming of crocodiles in Western Australia'. **In:** *Crocodiles, Proceedings of the 2nd Regional Meeting of the Crocodile Specialist Group*, pp. 435-450. IUCN, Gland.
- Merrick, J.R. and Schmida, G.E. (1984). Australian Freshwater Fishes - Biology and Management. Griffin Press, Netley, South Australia.
- Miller, J.D. (1996). 'Reproduction in sea turtles'. **In:** P.L. Lutz and J.A. Musick (eds.) *The Biology of Sea Turtles*, pp. 51-81. CRC Press.

- Miller, J.D., Dobbs, K., Limpus, C., Mattocks, N. and Landry, A. (1998). Long-distance migrations by the hawksbill turtle, *Eretmochelys imbricata*, from north-eastern Australia. *Wildlife Research* 25: 89-95.
- Milne, D.J., Jackling, F.C., Sidhu, M. and Appleton, B.R. (2009). Shedding new light on old species identifications: morphological and genetic evidence suggest need for conservation status review of the critically endangered bat, *Saccolaimus saccolaimus*. *Wildlife Research* 36(6): 496-508.
- Misra, K.S. (1969). 'Elasmobranchii and Holocephali'. In: M.L. Roonwal (ed.) *The fauna of India and the adjacent countries. Pisces* (second edition) Zoological Survey of India Series. Government of India Press, Faridabad.
- MMC (2007). Marine mammals and noise – a sound approach to research and management. A report to Congress from the Marine Mammal Commission, March 2007.
- Moein-Bartol, S., Musick, J.A. and Lenhardt, M.L. (1999). Auditory evoked potentials of the loggerhead sea turtle (*Caretta caretta*). *Copeia* 1999: 836-840.
- Moller, L.M., Allen, S.J. and Harcourt, R.G. (2002). Group characteristics, site fidelity and seasonal abundance of bottlenose dolphins *Tursiops aduncus* in Jervis Bay and Port Stephens, southeastern Australia. *Australian Mammalogy* 24: 11-22.
- Moodie, E.G. (1979). Aspects of the feeding biology of the loggerhead turtle (*Caretta caretta*). B.Sc. Hon. Thesis, James Cook University of North Queensland, Townsville.
- Morecombe, M. (2004). Field Guide to Australian Birds. Steve Parish Publishing Pty Ltd, Archerfield, Australia.
- MSQ (2007). Marine mammals and noise. A Sound Approach to Research and Management. Marine Mammal Commission Report to Congress. Maritime Safety Queensland 370p.
- MSQ (2011). Queensland Coastal Contingency Action Plan 2011. Department of Transport and Main Roads, Queensland Government. Available online at: <http://www.msq.qld.gov.au/~media/1f9d2dd2-d76d-42a8-b191-575e3bcb4fb3/qccap.pdf> (accessed 10/10/2012).
- MSQ (2012). Ship navigation warning. Maritime Safety Queensland Available online at: <http://www.msq.qld.gov.au/safety/ship-navigation-area-warning.aspx> (accessed 21/08/2012).
- Munksgaard, N.C., Wurster, C.M., Bass, A., Zagorskis, I. and Bird, M.I. (2012). First continuous shipboard  $\delta^{18}\text{O}$  and  $\delta\text{D}$  measurements in sea water by diffusion sampling – cavity ring-down spectrometry. *Environmental Chemistry Letters* 10(3): 301-307.
- Murphy, S. (2002). Observations of the 'Critically Endangered' Bare-rumped Sheath-tail Bat *Saccolaimus saccolaimus* Temminck (*Chiroptera: Emballonuridae*) on Cape York Peninsula, Queensland. *Australian Mammalogy* 23: 185-187.
- Musick, J.A. and Limpus, C.J. (1997). Habitat utilization and migration in juvenile sea turtles. In: P.L. Lutz and J.A. Musick (eds.) *The Biology of Sea Turtles*, pp. 137-164. CRC Press, Boca Raton, Florida.
- NAFI (2012). Fire History. North Australian Fire Information. Available online at: <http://www.firenorth.org.au/nafi2/> (accessed 13/09/2012).
- NAGD (2009). National Assessment Guidelines for Dredging. Commonwealth of Australia, Canberra.
- National Land and Water Resources Audit (2002). Australian Catchment, River and Estuary Assessment 2002, Volume 1. National Land and Water Resources Audit, Commonwealth of Australia.

- National Land and Water Resources Audit (2010). Australian Natural resources atlas. Estuary Assessment 2000: Queensland. National Land and Water Resources Audit, Commonwealth of Australia. Available online at: <http://www.anra.gov.au/topics/coasts/estuary/qld/index.html> (accessed 05/10/2010).
- Nedwell, J. and Howell, D. (2004). A review of offshore windfarm related underwater noise sources. Report No. 544 R 0308 Oct 2004. Available online at: <http://www.subacoustech.com/information/downloads/reports/544R0308.pdf> (accessed 16/10/2012).
- Nedwell, J., Langworthy, J., and Howell, D. (2003). Assessment of sub-sea acoustic noise and vibration from offshore wind turbines and its impact on marine wildlife; initial measurements of underwater noise during construction of offshore windfarms, and comparison with background noise. Report for COWRIE, Southampton, UK.
- Nehls, G., Betke, K., Eckelmann, S., and Ros, M. (2007). Assessment and costs of potential engineering solutions for the mitigation of the impacts of underwater noise arising from the construction of offshore windfarms. BioConsult SH report, Husum, Germany. On behalf of Cowrie Ltd, UK.
- Neldner, V.J., Wilson, B. A., Thompson, E.J. and Dillewaard, H.A. (2005). Methodology for Survey and Mapping of Regional Ecosystems and Vegetation Communities in Queensland. Version 3.1. Updated September 2005. Queensland Herbarium, Environmental Protection Agency, Brisbane.
- Nemoto, T. and Kawamura, A. (1977). Characteristics of food habits and distribution of baleen whales with special reference to the abundance of North Pacific sei and Bryde's whales. Report of the International Whaling Commission Special Issue 1: 80-87.
- Ng, S.L. and Leung, S. (2003). Behavioural response of Indo-Pacific humpback dolphin (*Sousa chinensis*) to vessel traffic. *Marine Environmental Research* 56: 555-567.
- NHMRC (2004). Australian Drinking Water Guidelines. National Health and Medical Research Council, Australian Government.
- NOAA (2012). How does an oil spill affect coral reefs? National Oceanic and Atmospheric Association. Available online at: [http://coralreef.noaa.gov/aboutcorals/facts/coral\\_oilspill.html](http://coralreef.noaa.gov/aboutcorals/facts/coral_oilspill.html) (accessed 14/02/2012).
- Noise Mapping Australia Pty Ltd (2012). Environmental Noise and Vibration Monitoring. Monitoring report prepared for Rio Tinto Alcan.
- Noller, B. (2002). Evaluation of bauxite fines from the Andoom deposit as an environmental hazard. National Research Centre for Environmental Toxicology. Internal Report prepared for Rio Tinto.
- Nowacek, S.M., Wells, R.S. and Solow, A. (2001). Short-term effects of boat traffic on bottlenose dolphins, *Tursiops truncatus*, in Sarasota Bay, Florida. *Marine Mammal Science* 17: 673-688.
- NPI (2001). Emission Estimation Technique Manual for Mining Version 2.3, National Pollutant Inventory, Commonwealth Department of Sustainability, Environment, Water, Population and the Arts, Australian Government, Canberra.
- NQBP (2009). Port of Weipa Environmental Management Plan. North Queensland Bulk Ports. Available online at: <http://www.nqbp.com.au/wp-content/uploads/2012/10/Port-of-Weipa-EMP.pdf> (accessed 18/03/2013).
- NQBP (2011a). Annual Report 2010-2011. North Queensland Bulk Ports.

NQPB (2011b). Port of Weipa – Long Term Environmental Management Plan. North Queensland Bulk Ports Corporation. Available online at: <http://www.nqbp.com.au/wp-content/uploads/2012/04/PortofWeipa-ConsolidatedLongTermDredgeManagementLTDMPMaintenanceDredging.pdf> (accessed 18/03/2013).

NSW National Parks and Wildlife Service (2002). Approved Recovery Plan for the Red Goshawk (*Erythrotriorchis radiatus*). NSW National Parks and Wildlife Service, Hurstville.

NTFRS (2003). Mission and Gamba grass. Northern Territory Police, Fire and Emergency Services. Available online at: [http://www.drytropics.org/weeds\\_mission\\_gamba\\_fire.htm](http://www.drytropics.org/weeds_mission_gamba_fire.htm) (accessed 14/06/2012).

Oceania Consulting Pty Ltd (2008). Cape Lambert Port B, Effects of Noise, Vibration and Blasting on Marine Fauna: Literature Review. Prepared for Rio Tinto, June 2008.

Ohsumi, S. (1977). Bryde's whales in the Pelagic whaling ground of the North Pacific. Report of the International Whaling Commission Special Issue 1: 140-150.

Okeanos (2008) Shipping Noise and Marine Mammals, A Background Paper Produced by Participants of the International Workshop on Shipping Noise and Marine Mammals. Hamburg, Germany, 21st-24th April 2008.

O'Malley, C. (2006). National Recovery Plan for the Gouldian Finch (*Erythrura gouldiae*). WWF-Australia, Sydney; and Parks and Wildlife, Department of Natural Resources, Environment and the Arts, Northern Territory Government.

Oresome Australia (2012). Urquhart Point Mineral Sands Project Environmental Impact Statement.

Oresome Australia (2012). Urquhart Point Mineral Sands Project Supplementary Environmental Impact Statement. Available online at: [http://www.oresome.com.au/attachments/Urquhart\\_Point\\_SEIS\\_Volume\\_2\\_Chapter\\_01\\_Introduction.pdf](http://www.oresome.com.au/attachments/Urquhart_Point_SEIS_Volume_2_Chapter_01_Introduction.pdf) (accessed 13/03/2013).

OSPAR (2009). Overview of the impacts of anthropogenic underwater sound in the marine environment. OSPAR Commission.

Palmer, C. (2010). Darwin Harbour Coastal Dolphin Project. Interim Report. March 2010. Department of Natural resources, Environment, the Arts and Sport. Northern Territory Government.

Palmer, C., Fitzgerald, P., Wood, A. and McKenzie, A. (2010). 2010 Report – Monitoring and assessment of inshore dolphins in Cobourg Marine Park (Garig Gunak Barlu National Park) Project no. 2007/134. Northern Territory Department of Natural Resources, Environment, the Arts and Sport (NRETAS).

Parmenter, C.J. (1983). Reproductive migration in the hawksbill turtle (*Eretmochelys imbricata*). *Copeia* 1983: 271-273.

Parra, G.J. (2006). Resource partitioning in sympatric delphinids: space use and habitat preferences of Australian snubfin and Indo-Pacific humpback dolphins. *Journal of Animal Ecology* 75: 862-874.

Parra, G.J., Corkeron, P.J. and Marsh, H. (2002a). The Indo-Pacific humpback dolphin, *Sousa chinensis* (Osbeck, 1765) in Australian waters: a summary of current knowledge and recommendations for their conservation. Unpublished Report to the Scientific Committee of the International Whaling Commission, SC/54/SM27.



- Parra, G.J., Azuma, C., Preen, A.R., Corkeron, P.J. and Marsh, H. (2002b). Distribution of Irrawaddy dolphins, *Orcaella brevirostris*, in Australian waters. *Raffles Bulletin of Zoology* 10(Suppl.): 141-154.
- Parra G.J., Corkeron, P.J. and Marsh, H. (2004). The Indo-Pacific humpback dolphin, *Sousa chinensis* (Osbeck, 1765) in Australian waters: a summary of current knowledge. *Aquatic Mammals* 30(1): 197-206.
- Parra, G.J., Corkeron, P.J. and Marsh, H. (2006). Population sizes, site fidelity and residence patterns of Australian Snubfin and Indo-Pacific humpback dolphins: implications for conservation. *Biological Conservation* 129(2): 167-180.
- Parra, G.J. and Jedensjo, M. (2009). *Feeding habits of Australian snubfin (Orcaella heinsohni) and Indo-Pacific humpback dolphins (Sousa chinensis)*. Project report to the Great Barrier Reef Marine Park Authority, Townsville, and the Reef and Rainforest Research Centre, Cairns.
- Parra, G.J., Schick, R. and Corkeron, P.J. (2006). Spatial distribution and environmental correlates of Australia snubfin and Indo-Pacific humpback dolphins. *Ecography* 29(3): 396-406.
- Paterson, R.A. (1990). Effects of long-term anti-shark measures on target and non-target species in Queensland, Australia. *Biological Conservation* 52: 147-159.
- Patterson, S.H., Kurtz, H.F., Olson, J.C. and Neeley, C.L. (1986). *World Bauxite Resources. Geology and Resources of Aluminium*. US Geological Survey Professional paper 1076 – B. US Government Printing Office, Washington.
- Paxton, J.R., Hoese, D.F., Allen, G.R. and Hanley, J.E. (1989). *Pisces. Petromyzontidae to Carangidae*. Australian Government Publishing Service, Canberra, Australia.
- PCQ (2007). Ten Ports, Countless Opportunities: Sustainability Report: 2006-07. Ports Corporation of Queensland.
- PCQ (2009). Port of Weipa – Environmental Management Plan. Draft for Public Comment. Ports Corporation of Queensland.
- PCQ (2010). Port Handbook – Port of Weipa. Ports Corporation of Queensland.
- Peralta, G., Perez-Lorens, J.L., Hernandez, I. and Vergara, J.J. (2002). Effects of light availability on growth, architecture and nutrient content of the seagrass *Zostera noltii* Hornem. *Journal of Experimental Marine Biology and Ecology* 269: 9–26.
- Peverell, S., Gribble, N. and Larson, H. (2004). 'Sawfish'. **In:** National Oceans Office, Description of Key Species Groups in the Northern Planning Area. Hobart, Tasmania: Commonwealth of Australia. Available online at: <http://www.environment.gov.au/coasts/mbp/publications/north/pubs/n-key-species.pdf> (accessed 16/10/2012).
- Peverell, S.C. and Pillans, R.D. (2004). Determining feasibility of acoustic tag attachment and documenting short-term movement in *Pristis zijsron* Bleeker, 1851. Department of Primary Industries, Queensland Government; and CSIRO Marine Research. Report for the National Oceans Office.
- Peverell, S. (2005). Distribution of Sawfishes (Pristidae) in the Queensland Gulf of Carpentaria, Australia - with notes on sawfish ecology. *Environmental Biology of Fishes* 73: 391-402.
- Peverell, S.C., McPherson, G.R., Garrett, R.N. and Gribble, N.A. (2006). New records of the River Shark *Glyphis* (Carcharhinidae) reported from Cape York Peninsula, northern Australia. *Zootaxa* 1233: 53-68.

- Peverell, S. (2007). Dwarf Sawfish *Pristis clavata*. Marine Education Society of Australasia website. Available online at: [http://www.mesa.edu.au/seaweeek2008/info\\_sheet05.pdf](http://www.mesa.edu.au/seaweeek2008/info_sheet05.pdf) (accessed 25/09/2008).
- PGM Environment (2012). Great Barrier Reef Shipping: Review of Environmental Implications. Report prepared for the Abbott Point Working Group.
- Philibosian (1976). Disorientation of hawksbill turtle hatchling, *Dermchelys coriacea*. IUCN Monograph. Marine Turtle Series 1:1-39.
- Philippi, T. (2005). Adaptive Cluster Sampling for Estimation of Abundances within Local Populations of Low-Abundance Plants. *Ecology* 86(5): 1091-1100.
- Phillips, N.M., Chaplin, J.A., Morgan, D.L., Peverell, S.C. and Thorburn, D.C. (2008). Genetic diversity and population structure of the Freshwater Sawfish (*Pristis microdon*) in Australian Waters. Report to the Department of the Environment, Water, Heritage and the Arts, Australian Government. Available online at: <http://www.environment.gov.au/coasts/publications/pubs/freshwater-sawfish-northern-river-shark.pdf> (accessed 05/09/2012).
- Phillips, N.M, Chaplin, J.A., Morgan, D.L. and Peverell, S.C. (2011). Population genetic structure and genetic diversity of three critically endangered *Pristis* sawfishes in Australian waters. *Marine Biology* 158(4): 903-915.
- Pillans, R.D., Stevens, J.D., Kyne, P.M. and Salini, J. (2005). Acoustic tracking of *Glyphis sp. A* in the Adelaide River, Northern Territory, Australia. Department of the Environment and Heritage, Australian Government, Canberra. Available online at: <http://www.environment.gov.au/coasts/publications/pubs/glyphis-nt.pdf> (accessed 05/09/2012).
- Pillans, R.D., Stevens, J.D., Peverell, S. and Edgar, S. (2008). Spatial distribution and habitat utilisation of the speartooth shark *Glyphis sp.* in relation to fishing in northern Australia. A report for the Department of the Environment, Water, Heritage and the Arts, Queensland Government. Available online at: <http://www.environment.gov.au/coasts/publications/speartooth-shark-report.html> (accessed 16/10/2012).
- Pillans, R.D., Stevens, J.D., Kyne, P.M. and Salini, J. (2009). Observations on the distribution, biology, short-term movements and habitat requirements of river sharks *Glyphis* spp. in northern Australia. *Endangered Species Research*. Available online at: <http://www.int-res.com/articles/esr2008/theme/Tracking/TMVpp12.pdf> (accessed 16/10/2012).
- Pillans, R.D., Stevens, J.D., Kyne, P.M. and Salini, J. (2010). Observations on the distribution, biology, short-term movements and habitat requirements of river sharks *Glyphis* spp. in northern Australia. *Endangered Species Research* 10: 321–332.
- Piwetz, S., Wang, H.S., Lundquist, D. and Würsig, B. (2012). Influence of vessel traffic movements of Indo-pacific humpback dolphins (*Sousa chinensis*) off Lantau Island, Hong Kong. *Aquatic Mammals* 38(3): 325-331.
- Pizzey, G.M. and Knight, F. (2007). The Field Guide to Australian Birds. Harper Collins, Sydney, Australia.
- Plotkin, P.T. (ed.) (2007). Biology and Conservation of Ridley Sea Turtles. The John Hopkins University Press, Baltimore, MD.

- Pogonoski, J.J., Pollard, D.A. and Paxton, J.R. (2002). Conservation Overview and Action Plan for Australian Threatened and Potentially Threatened Marine and Estuarine Fishes. Environment Australia, Canberra. Available online at: <http://www.environment.gov.au/coasts/publications/marine-fish-action/pubs/marine-fish.pdf> (accessed 16/10/2012).
- Porter, R., Irwin, S., Irwin, T. and Rodrigues, K. (1997). Records of the marine snake species from the Hey-Embley and Mission Rivers, Far North Queensland. *Herpetofauna* 27(2): 2-7.
- Ports Directory (2012). Global Maritime Directory. Available online at: <http://www.ports-directory.com/> (accessed 16/10/2012).
- Ports North (2011). Annual Report 2010/2011. Available online at: <http://www.cairnspport.com.au/files/pdf/AR2011.pdf> (accessed 16/10/2012).
- Prajapati, S.K. (2012). Ecological effect of airborne particulate matter on plants. *Environmental Skeptics and Critics* 1(1): 12-22.
- Preen, A.R. (1995). Impact of dugong foraging on seagrass habitats: observational and experimental evidence for cultivation grazing. *Marine Ecology Progress Series* 124: 201-13.
- Preen, A.R. and Marsh, H. (1995). Response of Dugongs to large-scale loss of seagrass from Hervey Bay, Queensland, Australia. *Wildlife Research* 22: 507-519.
- Proffitt, C.E. (1996). Managing oil spills in mangrove ecosystems: Effects, remediation, restoration, and modelling. OCS Study MMS 97-0003. U.S. Department of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. 76p.
- Queensland Government (2000). Oil Spill Risk Assessment for the Coastal Waters of Queensland and the Great Barrier Reef Marine Park. Joint report by Queensland Transport and the Great barrier Reef Marine Park Authority. Available online at: [http://www.msq.qld.gov.au/~media/msqinternet/msqfiles/home/environment/oil%20spill%20risk%20assessment/pdf\\_risk\\_assessment\\_report\\_2.pdf](http://www.msq.qld.gov.au/~media/msqinternet/msqfiles/home/environment/oil%20spill%20risk%20assessment/pdf_risk_assessment_report_2.pdf) (accessed 18/10/2012).
- Queensland Government (2008). *Environmental Protection (Air) Policy 2008*.
- Queensland Government (2012). South of the Embley project Coordinator-General's report on the environmental impact statement, May 2012. Available online at: <http://www.dsdp.qld.gov.au/resources/project/south-of-the-embley/south-embley-cg-eis-report.pdf> (accessed 11/09/2012).
- Queensland Herbarium (2012). HERBRECS database. Department of Environment and Heritage Protection, Queensland Government.
- Rankmore B.R., Griffiths A.D., Woinarski J.C.Z., Lirrwa Ganambarr B., Taylor R., Brennan K., Firestone K. and Cardoso M. (2008). 'Island translocation of the northern quoll *Dasyurus hallucatus* as a conservation response to the spread of the cane toad *Chaunus (Bufo) marinus* in the Northern Territory, Australia'. Report submitted to the Natural Heritage Trust Strategic Reserve Program, as a component of project 2005/162: *Monitoring & Management of Cane Toad Impact in the Northern Territory*.
- Read, M.A., Miller, J.D., Bell, I.P. and Felton, A. (2004). The distribution and abundance of the estuarine crocodile, *Crocodylus porosus*, in Queensland. Queensland. *Wildlife Research* 31: 527-534.
- Reardon, T.B., Robson, S.K.A., Parsons, J.G. and Inkster, T. (2010). Review of the threatened status of microchiropteran bat species on Cape York Peninsula. Unpublished Report.

- Redfield, J.A., Holmes, J.C. and Holmes, R.D. (1978). Sea snakes of the eastern Gulf of Carpentaria. *Australian Journal of Marine and Freshwater Research* 29:325-334.
- Reeves, R.R., Smith, B.D., Crespo, E.A., and Notarbartolo di Sciara, G. (eds.) (2003). Dolphins, Whales and Porpoises: 2002-2010 Conservation Action Plan for the World's Cetaceans. Switzerland and Cambridge: IUCN/SSC Cetacean Specialist Group. IUCN, Gland.
- Reinhall P.G. and Dahl, P.L. (2011). Underwater Mach wave radiation from impact pile driving: Theory and observation. *Journal of the Acoustical Society of America* 130: 1209-1216.
- Ridgeway, S.H., Wever, E.G., McCormick, J.G., Palin, J. and Anderson, J.H. (1969). Hearing in the giant sea turtle, *Chelonia mydas*. Proceedings of the *National Academy of Science* 64(3): 884-890.
- Rice, D.W. (1998). Marine mammals of the world. Systematics and distribution. Special publication number 4. Society for Marine Mammalogy, Kansas.
- Richardson, W.J., Greene, C.R., Malme, C.I. and Thomson, D.H. (1995). *Marine mammals and noise*. Academic Press, New York. 576p.
- Rio Tinto (2009a). Technical Memo: Chemical Characterisation of Ore and Tailings. 16 October 2009. Internal report prepared for Rio Tinto.
- Rio Tinto (2009b). Technical Memo: Tailings, Ore and Water Sampling - Weipa and Andoom 2009. 15 October 2009. Internal report prepared for Rio Tinto.
- Rio Tinto (2012). Technical Memo: Chemical characterisation of sweeper elutriates from Weipa bauxite product and assessment of impact on water quality. Internal report prepared for Rio Tinto Alcan.
- Robinson, S.P., Lepper, P.A. and Ablitt, J. (2007). The measurement of the underwater radiated noise from marine piling including characterisation of a 'soft start' period. Proceedings of 'OCEANS 2007 - Europe' conference.
- Roelofs, A., Rasheed, M. and Thomas, R. (2003). Port of Weipa Seagrass Monitoring 2000-2002. EcoPorts Monograph Series No. 22. Ports Corporation of Queensland.
- Rose, C. and McLoughlin, A. (2001). A Review of Shark Finning in Australian Fisheries. Final report to Fisheries Resources Research Fund. Bureau of Rural Sciences, Canberra. Department of Agriculture, Fisheries and Forestry, Australian Government.
- Ross, G.J.B., Heinsohn, G.E. and Cockcroft, V.G. (1994). Humpback Dolphins. **In:** S.H. Ridgway and R. Harrison (eds) *Handbook of Marine Mammals Vol. 5: The First Book of Dolphins*, pp. 23-42. Academic Press, London.
- Ross, G.J.B. (2002). Humpback dolphins *Sousa chinensis*, *S. plumbea* and *S. teuszi*. **In:** W.F. Perrin, B. Würsig and H.G.M. Thewissen (eds.) *The Encyclopedia of Marine Mammals*, pp. 585-589. Academic Press, London.
- Rothlisberg, P., Condie, S., Hayes, D., Griffiths, B., Edgar, S. and Dunn, J. (2005). Collation and Analysis of Oceanographic Datasets for National Marine Bioregionalisation: The Northern Large Marine Domain. A report to the Australian Government, National Oceans Office. May, 2005. CSIRO Marine Research.
- RTA (2009a). Heritage Assessment of the South of Embley Resource Drilling Project. Internal report prepared by Rio Tinto Alcan for the Traditional Owners and WCCCA.
- RTA (2009b). Heritage Assessment of the South of Embley Resource Drilling Project – 2009 Additional Drilling Areas. Internal report prepared by Rio Tinto Alcan for the Traditional Owners and WCCCA.



- RTA (2011). Environmental Impact Statement for South of Embley Project. Prepared for the Queensland Government by Rio Tinto Alcan.
- RTA (2012). Supplementary Report to the Environmental Impact Statement for South of Embley Project. Prepared for the Queensland Government by Rio Tinto Alcan.
- Ryan, S. (2006). Red Goshawk *Erythrotriorchis radiatus*. Conservation Management Profile, Environmental Protection Agency, Queensland Parks and Wildlife Service, Queensland, Australia.
- Saalfeld, K. and Marsh, H. (2004). 'Dugong'. In: National Oceans Office, *Key Species – A Description of key Species Groups in the Northern Planning Area*, Chapter 10, pp. 97-114. National Oceans Office, Hobart.
- Sasaki, T., Ikaido, M., Wada, S., Yamada, T.K., Cao, Y., Hasegawa, M. and Okada, N. (2006). *Balaenoptera omurai* is a newly discovered baleen whale that represents an ancient evolutionary lineage. *Molecular Phylogenetics and Evolution* 41 (1): 40-52.
- Sattler, P. and Williams, R. (1999). The Conservation Status of Queensland's Bioregional Ecosystems. Environmental Protection agency, Queensland Government.
- Schroeder, B. and Murphy, S. (1999). Population surveys (ground and aerial) on nesting beaches. In: K.L. Eckert, K.A. Bjorndal, F.A. Abreu-Grobois and M. Donnelly (eds.), *Research and Management Techniques for the Conservation of Sea Turtles*. IUCN/SSC Marine Turtle Specialist Group, Washington, DC, Publication No 4, pp. 45-55.
- Schulz, M. and Thomson, B. (2007). Recovery plan for the Bare-rumped Sheath-tail Bat *Saccolaimus saccolaimus nudiclunatus* 2007-2011. Report to Department of the Environment and Heritage, Australian Government, Canberra. Queensland Parks and Wildlife Service, Brisbane.
- Sea Turtle Conservancy (2011). Sea Turtle Conservancy. Available online at: <http://www.conserveturtles.org/> (accessed 18/03/2013).
- SGS (2008). Weipa Community Baseline Survey. Report for RTA Weipa by SGS Economics and Planning, April 2008.
- Shultz T.J., Townsend S.A. and Edwards C.A. (2002). Water Quality of the Rivers and Streams of the Mary River Catchment (N.T.). Technical Report 41/2002. Department of Infrastructure, Planning and Environment, Northern Territory Government.
- Shaflik, C. (1995). Light pollution – environmental effects of roadway lighting. Technical Paper prepared for CIVL 582 – Transportation Engineering Impacts.
- Sheavly, S.B. (1995). 1994 US National coastal cleanup results. Centre for Marine Conservation.
- Simpson, S.L., Batley, G.E., Chariton A.A., Stauber J.L., King C.K., Chapman J.C., Hyne R.V., Gale S.A., Roach A.C. and Maher W.A. (2005). *Handbook for Sediment Quality Assessment*. CSIRO, Bangor, NSW.
- Skirtun, M., Sahlqvist, P., Curtotti, R. and Hobsbawn, P. (2012). Australian fisheries statistics 2011. Australian Bureau of Agricultural and Resource Economics and Sciences, Canberra, Australian Capital Territory.
- Smith, T.K. (1985). Analysis of major and minor constituents of Andoom and Weipa bauxite fractions. BTD Report 3/85. Internal report to Comalco.
- Smolowitz, R. and Weeks, M. (2006). Turtle-Scallop Dredge Interaction Study 2005 Field Season. Coonamessett Farm, East Falmouth, Massachusetts, USA 02536.

Sommer, B. and Sommer, G. (1994). Report on Anthropological and Linguistic Research at Weipa 1993-4. Report prepared for the Napranum Aboriginal Corporation and the Quintigan Land Management Aboriginal Corporation.

Southall, B.S. (2005). Shipping noise and marine mammals: A forum for Science, Management and Technology. Final report of the NOAA International Symposium, 18-19 May 2004, Arlington, Virginia, USA.

Southall, B.L., Bowles, A.E., Ellison, W.T., Finneran, J.J., Gentry, R.L., Greene Jr, C.R., Katsak, K., Ketten, D.R., Miller, J.H., Nachtigall, P.E., Richardson, W.J., Thomas, J.A. and Tyack, P.L. (2007). Marine Mammal Noise-Exposure Criteria: Initial Scientific Recommendations. *Aquatic Mammals* 33(4).

Speare, P. (1994). Relationships among black marlin, *Makaira indica*, in eastern Australian coastal waters, inferred from parasites. *Marine and Freshwater Research* 45(4): 535-549.

Spotila, J.R., Reina, R.D., Steyermark, A.C., Plotkin, P.T., and Paladino, F.V. (2000). Pacific leatherback turtles face extinction. *Nature* 45: June 1, 2000.

Stead, D.G. (1963). Sharks and rays of Australian seas. Angus and Robertson, Sydney, NSW.

Stevens, J.D., Pillans, R.D. and Salini, J. (2005). Conservation Assessment of *Glyphis* sp. A (Speartooth Shark), *Glyphis* sp. C (Northern River Shark), *Pristis microdon* (Freshwater Sawfish) and *Pristis zijsron* (Green Sawfish). CSIRO Marine Research, Hobart, Tasmania. Available online at: <http://www.environment.gov.au/coasts/publications/pubs/assessment-glyphis.pdf> (accessed 16/10/2012).

Stevens, J.D., McAuley, R.B., Simpfendorfer, C.A. and Pillans, R.D. (2008). Spatial distribution and habitat utilisation of sawfish (*Pristis* spp) in relation to fishing in northern Australia. A report to the Department of the Environment, Water, Heritage and the Arts. CSIRO and Western Australia Department of Fisheries. Available online at: <http://www.environment.gov.au/coasts/publications/pubs/sawfish-report.pdf> (accessed 16/10/2012).

Stobutzki, I.C., Miller, J.M., Heales, D.S. and Brewer, D.T. (2002). Sustainability of Elasmobranchs Caught as By-catch in a Tropical Prawn (Shrimp) Fishery. *Fishery Bulletin* 100:800-821.

Sutaria, D. and Jefferson, T.A. (2004). Records of Indo-Pacific humpback dolphins (*Sousa chinensis*, Osbeck, 1765) along the coasts of India and Sri Lanka: An overview. *Aquatic Mammals* 30(1): 125-136.

SVT (2008). Vibration Assessment Report for Pile Driving Operations at Cape Lambert. Prepared by SVT Engineering Consultants for Rio Tinto Iron Ore, 14 August 2008.

SVT (2009). Cape Lambert Port B Development Underwater Noise Assessment. Prepared by SVT Engineering Consultants for Rio Tinto Iron Ore, 9 February 2009.

SWOT (2007). A global snapshot of loggerheads and leatherbacks, pp. 20-25. In a Global Glimpse of Loggerhead Nesting. State of the World's Sea Turtles, Volume II. Arlington, VA, USA. Available online at: <http://www.seaturtlestatus.org/Client/Documents/SWOReport2.pdf> (accessed 16/10/2012).

Taplin, L., Bayliss, P., and Kreiger, G. (1988). Crocodile Distribution and Abundance, Cape York Peninsula Report on a Helicopter Survey of Eastern, Northern and North-western Cape York. 1998. Summary Report, Queensland Parks and Wildlife Service.

Thorburn, D.C. (2006). Biology, ecology and trophic interactions of elasmobranchs and other fishes in riverine waters of northern Australia. PhD Thesis, Murdoch University, Perth, Western Australia.

- Thorburn, D.C. and Morgan, D.L. (2005). Threatened Fishes of the World: *Pristis microdon* Latham 1794 (Pristidae). *Environmental Biology of Fishes* 72: 465-466.
- Thorburn, D.C., Peverell, S., Stevens, S., Last, J.D. and Rowland, A.J. (2003). Status of Freshwater and Estuarine Elasmobranchs in Northern Australia. Report to Natural Heritage Trust, Canberra, Australia.
- Thorburn, D.C., Peverell, S., Stevens, S., Last, J.D. and Rowland, A.J. (2004). Status of Freshwater and Estuarine Elasmobranchs in Northern Australia. Report to Natural Heritage Trust, Canberra, ACT. Available online at: <http://www.environment.gov.au/coasts/publications/elasmo-north.html> (accessed 04/07/2009).
- Thorburn, D.C., Morgan, D.L., Rowland, A.J. and Gill, H.S. (2007a). Freshwater sawfish *Pristis microdon* Latham, 1794 (Chondrichthyes: Pristidae) in the Kimberley region of Western Australia. *Zootaxa* 1471: 27-41.
- Thorburn, D.C., Morgan, D.L., Rowland, A.J., Gill, H.S. and Paling, E. (2007b). Life history notes of the critically endangered dwarf sawfish, *Pristis clavata*, Garman 1906 from the Kimberley region of Western Australia. *Environmental Biology of Fishes* 82(2): 139-145.
- TMR (2011). Port of Gladstone First-Strike Oil Response Plan. Department of Transport and Main Roads. Available online at: [http://www.msq.qld.gov.au/~media/msqinternet/msqfiles/home/environment/contingency%20plans/qccap\\_app15.pdf](http://www.msq.qld.gov.au/~media/msqinternet/msqfiles/home/environment/contingency%20plans/qccap_app15.pdf) (accessed 15/03/2013).
- TMR (2012). Port Procedures and Information for Shipping – Weipa. Department of Transport and Main Roads. Available online at: [http://www.msq.qld.gov.au/~media/msqinternet/msqfiles/home/shipping/port%20procedures/weipa%20ppm/weipa\\_port\\_procedures.pdf](http://www.msq.qld.gov.au/~media/msqinternet/msqfiles/home/shipping/port%20procedures/weipa%20ppm/weipa_port_procedures.pdf) (accessed 18/03/2013).
- Trainor, N. and Huggett, J. (2002). Managing the safe operations of shipping in the Great Barrier Reef and Torres Strait. *International Hydrographic Review* 3(3): 54-62.
- TSSC (2008a). Listing Advice for *Pristis zijsron* (Green Sawfish). Threatened Species Scientific Committee. Available online at: <http://www.environment.gov.au/biodiversity/threatened/species/pubs/68442-listing-advice.pdf> (accessed 02/10/2012).
- TSSC (2008b). Approved Conservation Advice for *Pristis zijsron* (Green Sawfish). Threatened Species Scientific Committee. Available online at: <http://www.environment.gov.au/biodiversity/threatened/species/pubs/68442-conservation-advice.pdf>.
- TSRA (2012). Torres Strait Regional Authority. Available online at: <http://www.tsra.gov.au/> (accessed 02/10/2012).
- Tyack, P.T. (2008). Implications for marine mammals of large-scale changes in the marine acoustic environment. *Journal of Mammalogy* 89: 549-558.
- Ukuwela, K.D.B., Sanders, K.L. and Fry, B.G. (2012). *Hydrophis donaldi* (Elapidae Hydrophiinae), a highly distinctive new species of sea snake from northern Australia. *Zootaxa* 3201: 45-47.
- UNEP (2002). Dugong. Status Report and Action Plans for Countries and Territories. UNEP/DEWA/RS.02-1. 172p.
- UNESCO (2011). Decisions Adopted by the World Heritage Committee at its 35<sup>th</sup> Session. UNESCO Headquarters 19-29 June, WHC-11/35.COM/20.

- UNESCO (2012). Mission Report, Reactive Monitoring Mission to Great Barrier Reef (Australia), 6 to 14 March 2012. United Nations Educational, Scientific and Cultural Organization.
- University of Queensland (2012). Crocodile satellite tracking 2010-11. Available online at: <http://www.uq.edu.au/eco-lab/crocodilesatellitetracking2010> (accessed 28/02/2012).
- URS (2011). Darwin Port Expansion EIS, Appendix F – Oil Spill Modelling. URS Australia Pty Ltd.
- US EPA (1991). Evaluation of dredged material proposed for ocean disposal. Testing Manual. EPA 503/8-91/001, US Environmental Protection Agency and US Army Corps of Engineers.
- US EPA (2003). AP-42 Compilation of Air Pollutant Emission Factors, 5th Edition. United States Environmental Protection Agency, Office of Air Quality Planning and Standards.
- Van Parijs, S.M. and Corkeron, P. (2001). Boat traffic affects the acoustic behaviour of Pacific humpback dolphins, *Sousa chinensis*. *Journal of the Marine Biological Association of the United Kingdom* 81: 533–538.
- Vance, D.J., Haywood, M.D.E., Heales, D.S., Kenyon, R.A. and Loneragan, N.R. (1998). Seasonal and annual variation in abundance of postlarval and juvenile banana prawns *Penaeus merguensis* and environmental variation in two estuaries in tropical northeastern Australia: a six year study. *Marine Ecology Progress Series* 163(1): 21-36.
- Vardavas, I.M. (1988). A simple water balance daily rainfall-runoff model with application to tropical Magela Creek flood plain. *Ecological Modelling* 46: 165-194.
- Volker, R.E. and Crees, M.R. (1993). Recharge estimates for an unconfined aquifer affected by surface mining and rehabilitation. Hydrology of Warm Humid Regions. Proceedings of the Yokohama Symposium, July 1993. IAHS Publication No. 216, 1993.
- Walker, T.I. (1998). Can shark resources be harvested sustainably? A question revisited with a review of shark fisheries. *Marine and Freshwater Research* 49: 553-572.
- Wallace, J.A. (1967). The batoid fishes of the east coast of southern Africa. Part I: Sawfishes and guitarfishes. South African Association for Marine Biological Research. Oceanographic Research Institute, Investigational Report 15.
- Ward, P. (2012). Underwater noise impact study in support of the Oyster Wave Energy Project, Isle of Lewis, Technical Report, Kongsberg Maritime, Aberdeen, Scotland (prepared for Aquamarine Power, Edinburgh, Scotland).
- Webb, G., Manolis, S., Whitehead, P. and Letts, G. (1984). A proposal for the transfer of the Australian population of *Crocodylus porosus* Schneider (1801) from Appendix I to Appendix II of CITES. Parks and Wildlife Unit, Conservation Commission of the Northern Territory.
- Webb, G.J.W., Whitehead, P.J. and Manolis, S.C. (1987). Crocodile management in the Northern Territory of Australia. In: G.J.W Webb, S.C. Manolis and P.J. Whitehead (eds) *Wildlife Management: Crocodiles and Alligators*, pp. 107-124. Surrey Beatty & Sons, Sydney.
- Webb, G.J.W. and Manolis, C. (1989). Crocodiles of Australia. Reed Publishers, Sydney. 160p.
- Weiner, R.E. (2008). Applications of Environmental Aquatic Chemistry. CRC Press, Boca Raton, Florida, United States of America.
- Welsh, W.D. (2006). Great Artesian Basin transient groundwater model. Australian Government Bureau of Rural Sciences.



WHC (2011). Convention Concerning the Protection of the World Cultural and Natural Heritage. Decisions Adopted by the World Heritage Committee at its 35<sup>th</sup> Session (UNESCO 2011). World Heritage Committee.

WHC (2012). Adoption of retrospective Statements of Outstanding Universal Value, World Heritage Committee, 36<sup>th</sup> session, Saint Petersburg, 24 June-6 July. pp. 20-23.

Whiting, S., Hadden, K., Long, J., Lauder, A., Kleidon, A. and Cook, K. (2007). Sea Turtle Conservation and Education on the Tiwi Islands. *Final Natural Heritage Report*. Department of the Environment and Water Resources, Australian Government, Canberra. Available online at: <http://www.environment.gov.au/coasts/publications/tiwi-turtle-conservation.html> (accessed 02/10/2012).

Whitty, J.M., Morgan, D.L., Thorburn, D.C., Fazeldean, T. and Peverell, S.C. (2008). Tracking the movements of Freshwater Sawfish (*Pristis microdon*) and Northern River Sharks (*Glyphis* sp.) in the Fitzroy River. Centre for Fish and Fisheries Research (Murdoch University) report to the Department of the Environment, Water, Heritage and the Arts, Australian Government, Canberra. Available online at: <http://www.environment.gov.au/coasts/publications/pubs/freshwater-sawfish-northern-river-shark.pdf> (accessed 02/10/2012).

Weise, F.K., Montevecchi, W.A., Davoren, G.K., Huettmann, F., Daimond, A.W. and Linke, J. (2001) Seabirds at risk around offshore oil platforms in the North-West Atlantic. *Marine Pollution Bulletin* 42(12): 1285-1290.

Wijayratne, U.C., Scoles-Sciulla, S.J. and Defalco, L.A. (2009). Dust deposition effects on growth and physiology of the endangered *Astragalus jaegerianus* (Fabaceae). *California Botanical Society* 56(2): 81-88.

WildNet Database (2007). Department of Environment and Heritage Protection, Queensland Government.

Wilson, D. (1999). Freshwater sawfish *Pristis microdon*. Australia New Guinea Fishes Association A-Z Notebook of Native Freshwater Fish. *Australia New Guinea Fishes Association Bulletin* 41.

Winter, J. and Alford, R. (1999). Terrestrial Vertebrate Fauna in Regenerated Mine Areas at Weipa. A report to Comalco Aluminium Ltd, Weipa, February 1999.

Winter, J. and Atherton, R. (1985). Survey of Mammals and other Vertebrates of the Weipa Region, Cape York Peninsula. Queensland Parks and Wildlife Service, Brisbane.

Witherington, B.E. and Martin, R.E. (1996). Understanding, assessing, and resolving light-pollution problems on sea turtle nesting beaches. Florida Marine Research Institute Technical Report.

Witherington, B., Bresette, M. and Herren, R. (2006). *Chelonia mydas* – green turtle. *Chelonian Research Monographs* 3: 90-104.

Woinarski, J. (2004). National Multi-species Recovery plan for the Partridge Pigeon (eastern subspecies) *Geophaps smithii smithii*, Crested Shrike-tit (northern (sub)species) *Falcunculus (frontatus) whitei*, Masked Owl (north Australian mainland subspecies) *Tyto novaehollandiae kimberli*, and Masked Owl (Tiwi Islands subspecies) *Tyto novaehollandiae melvillensis*, 2004 – 2008. A Recovery Plan prepared under the Commonwealth EPBC Act, 1999.

- Woinarski, J.C.Z., Rankmore, B.R., Fisher, A. and Milne, D. (2007). The natural occurrence of northern quolls *Dasyurus hallucatus* on islands of the Northern Territory: assessment of refuges from the threat posed by cane toads *Bufo marinus*. Report to Natural Heritage Trust (Northern Territory Department of Natural Resources Environment and The Arts, Darwin).
- Woinarski J.C.Z., Oakwood M., Winter J., Burnett S., Milne D., Foster P., Myles H. and Holmes B. (2008). Surviving the toads: patterns of persistence of the northern quoll *Dasyurus hallucatus* in Queensland. Report submitted to the Natural Heritage Trust Strategic Reserve Program, as a component of project 2005/162: *Monitoring & Management of Cane Toad Impact in the Northern Territory*.
- Woolfe, R. (2007). An Archaeological Survey of Norman Creek and Boyd Bay Drill Lines South Embley Drilling Programme 2006. Internal report prepared for Rio Tinto Aluminium.
- Woolfe, R. (2009a). Archaeological Survey of Part of Rio Tinto Alcan South of the Embley Mineral Lease ML 7024, Boyd Bay, Western Cape York. Internal report prepared for Chalco and GHD.
- Woolfe, R. (2009b). Archaeological Survey of Part of Rio Tinto Alcan South of the Embley Mineral Lease ML 7024, Boyd Bay, Western Cape York, Conveyor Belt Route, August 2009. Internal report prepared for Chalco and GHD.
- WorleyParsons (2012a). South of the Embley Project: 185,000DWT Vessel Port Development Plan. Sediment Characterisation Report. Report prepared for Rio Tinto Alcan.
- WorleyParsons (2012b). South of Embley Project Barge/Ferry Terminals. Sediment Characterisation Study. Report prepared for Rio Tinto Alcan.
- WTA (1996). Advisory Development Plan for Weipa Local Government Area. Weipa Town Authority. Available online at:  
[http://www.weipatownoffice.com/advisory\\_development\\_plan\\_weipa\\_local\\_government\\_area.pdf](http://www.weipatownoffice.com/advisory_development_plan_weipa_local_government_area.pdf)  
(accessed 18/03/2013).
- Zaar, U., Prowse, G. and Matthews, I. (1999). Water Resources of East Arnhem Land Technical Data. Report Number 03/1999D Department of Lands, Planning and Environment Natural Resources Division, Northern Territory Government.
- Zieman, J.C. (1975). Seasonal variation of turtle grass, *Thalassia testudinum* Konig, with reference to temperature and salinity effects. *Aquatic Botany* 1: 107-123.